

75
YEARS

 **KÄRCHER**

Commercial floor care cleaning equipment

September 2010



Kärcher Commercial Floor Maintenance Machines

Scrubbers

Page 3



Kärcher scrubbers are ideal for cleaning, maintaining and polishing hard floors. Our family of scrubbers covers any size area.

Floor Machines

Page 7



Kärcher floor machines and burnishers provide power and versatility for buffing, polishing, scrubbing and stripping.

Extractors


Page 8



Kärcher extractors offer innovative technology, superior cleaning performance and greater productivity. They are ideal for deep extraction of carpeting, upholstery, vertical blinds and cubical walls.

Sweepers

Page 11



Kärcher sweepers and vacuum sweepers are built to the latest engineering standards. Designed for rugged reliability, they incorporate highly efficient sweeping and vacuum technology. Kärcher machines clean indoor and outdoor areas effectively and economically.

Vacuums

Page 14



Kärcher vacuum cleaners offer professional service providers a broad range of machines that meet the high demands of daily operation in terms of performance, equipment and handling features.

Specialty

Page 19



Specialty machines like the AB 84 air blower decrease carpet drying times, while the DE 4002 provides fast and continuous steam cleaning.

Accessories

Page 21



Kärcher accessories fit. Quality Kärcher original accessories are designed to cover a range of cleaning tasks and are matched specifically to the machine, ensuring a perfect cleaning and cost efficiency.

Compact, powerful micro-scrubbers

Kärcher's compact BRS 40/1000, BR 30/4 C and BR 40/10 C Adv scrubbers provide far more efficient and hygienic alternatives to manual mopping and scrubbing. Ideal for use on hard floors and tile, these scrubbers have been engineered to be easy to transport and even easier to use. These units are perfect for use in institutions, restaurants, schools, stores and even homes to maintain the appearance of floors and keep your premises sanitary.



Removable BR 30/4 C solution tank is designed to be filled at any sink



Convenient handle and light weight makes the BR 30/4 C easy to transport



Easily detachable solution tanks in the BR 40/10 C Adv eliminates moving entire machine from work site



Large wheels simplify transport and are conveniently stowed on the handle during cleaning



BRS 40/1000

- Two, counter-rotating brushes with variable cleaning pressure
- 2.5-gallon solution tank
- No tool brush removal
- No recovery tank allows for low profile design



BR 30/4 C

- One gallon solution and recovery tanks
- Two squeegees for pick up in forward and reverse
- Easy to fill and empty
- Low profile allows BR 30/4 C to clean just about anywhere



BR 40/10 C Adv

- Two, counter-rotating brushes with variable cleaning pressure up to 88 lbs when unit is full
- Two squeegees for pick up in forward and reverse
- 2.5 gallon tanks
- No tool brush removal

TECHNICAL DATA

Order Number	1.783-332.0	1.783-202.0	9.840-769.0
Working Width	16" (400 mm)	12" (300 mm)	16" (400 mm)
Brushes	Two 16" (400 mm) - Cylindrical	One, 12" (300 mm) - Cylindrical	Two 16" (400 mm) - Cylindrical
Brush Diameter	3.7" (96 mm)	2.4 in (60 mm)	3.7" (96 mm)
Brush Speed	650 rpm	1450 rpm	1100 rpm
Down Pressure	88 lbs (40 kg) w/ full solution tank	32 lbs (14.7 kg) with full solution tank	88 lbs (40 kg) with full solution tank
Solution Capacity	2.5 gallons (10 l)	1 gallon (4 l)	2.5 gallons (10 l)
Solution Flow	.25-.3 gallons/min (1-1.2 l/min)	.25-.3 gallons/min (1-1.2 l/min)	.25-.3 gallons/min (1-1.2 l/min)
Recovery Capacity	--	1 gallon (4l)	2.5 gallons (10 l)
Vacuum Motor	--	1.1 hp (850 W)	.6 hp (500 W)
Performance* (ft ² /h)	4,305 sq. ft per hour	2,150 sq. ft per hour	4,300 sq. ft per hour
Power Cord	24' (600 mm)	32.8'	50'
Dimensions (L x W x H)	20" x 18" x 47" (508 x 457 x 1193 mm)	15.4" x 13" x 46.5" (390 x 335 x 1180 mm)	20.5" x 18.5" x 47" (520 x 470 x 1193 mm)
Weight	56 lbs (27 kg)	24 lbs (11 kg)	66 lbs (30 kg)
Noise Level	73 dBA	71 dBA	67 dBA

*Theoretical performance.

Compact scrubbers with full-size performance

Kärcher's compact scrubbers feature our innovative tank-in-tank system that gives the user full access to both the clean water and recovery water tanks, which makes them ideal for use in stripping applications. With their standard automatic solution and brush stop, delayed vacuum motor shutdown Kärcher's renowned EASY™ controls and these compact scrubbers are the perfect choice for cleaning small to medium areas.



Intuitive control panel reduces training time and increases productivity



Change brushes easily using just one finger to open the access door on the BR 45/40 and BR 55/40 C



10.5 gallon recovery tank



Easy-access squeegee



BR 530 W

- 18" working width
- 10.5 gallon solution and recovery tank
- Roller brush technology
- Front transport wheel provides additional traction

BD 530 W

- 18" working width
- 10.5 gallon solution and recovery tank
- Disc brush technology
- Front transport wheel provides additional traction

BR 45/40 C

- 18" working width
- 10.5 gallon solution and recovery tank
- Simple operation
- Straight or curved squeegee

BR 55/40 C

- 22" working width
- 10.5 gallon solution and recovery tank
- Simple operation
- Straight or curved squeegee

TECHNICAL DATA

Order Number*	1.127-362.0	1.127-381.0	1.533-104.0	1.533-154.0
Working Width, Brush	18" (460 mm)	18" (460 mm)	18" (450 mm)	22" (550 mm)
Working Width, Vacuum	33.5" (850 mm)	33.5" (850 mm)	33.5" (850 mm)	33.5" (850 mm)
Solution/Recovery Tanks	10.5 gallon	10.5 gallon	10.5 gallon	10.5 gallon
Brush Speed	1,500 rpm	140 rpm	1,250 rpm	1,250 rpm
Brush Motor	600 W	600 W	1,200 W max	1,200 W max
Performance (max)	19,805 ft ² /hr	19,805 ft ² /hr	19,375 ft ² /hr	23,680 ft ² /hr
Performance (practical)	13,670 ft ² /hr	13,670 ft ² /hr	11,625 ft ² /hr	14,200 ft ² /hr
Brush Pressure	240 g/cm ²	27 g/cm ²	200 g/cm ²	200 g/cm ²
Noise Level	70 dBA	70 dBA	70 dBA	70 dBA
Battery	24 V	24 V	24 V	24 V
Weight*	121 lbs. (55 kg)	121 lbs. (55 kg)	176 lbs. (80 kg)	187 lbs (85 kg)
Dimensions (LxWxH)	49.2" x 22" x 42" (1250 x 560 x 1070 mm)	49.2" x 22" x 42" (1250 x 560 x 1070 mm)	45.5" x 25" x 44" (1155 x 645 x 1115 mm)	45.5" x 25" x 44" (1155 x 645 x 1115 mm)

*Base model machine, no squeegee or batteries.

*Excludes batteries and solution.

The right technology for every problem

Kärcher's B 80 W Bp battery-operated, walk behind scrubber is the most versatile, full-featured scrubber on the market. Customizable with either cylindrical roller brushes or disc pads, the B 80 W Bp provides cleaning paths of either 22, 26 or 30-inches while our Tank-in-Tank system that gives the operator full access to the water recovery tank making the unit suitable for stripping floors and maintenance friendly.



An automatic filling option allows you to connect directly to the water system. As soon as the machine is fully filled, the water intake switches off automatically



B 80 W Bp and B 90 R Adv Bp come without a head allowing the end user the ability to choose the cleaning head that is right for their applications. Choose from 22", 26" or 30" roller brush or disc head



Brush Heads R 55 / R 65 / R 75

- Two counter-rotating roller brushes
- Scrubbing and sweeping in one go
- High scrubbing power
- Easy brush replacement

Brush Heads D 55 / D 65 / D 75

- Two disc brushes
- Integral splash guard
- Easy brush replacement

B 80 W Bp

- 21 gallon solution and recovery tanks
- Easy to transport
- Straight or curved squeegee

TECHNICAL DATA

Order Number*	2.763-002.0 / 004.0 / 006.0	2.763-001.0 / 003.0 / 005.0	1.259-005.0
Working Width, Brush	22"/26"/30" (550/650/750 mm)	22"/26"/30" (550/650/750mm)	26" (650 mm)
Working Width, Vacuum	--	--	37" (940 mm)
Solution/Recovery Tanks	--	--	21 gallon (80 L)
Brush Speed	600-1,300 rpm	180 rpm	--
Drive	--	--	300 W
Climbing Ability	--	--	10%
Performance (max)	--	--	32,200 ft ² /hr
Performance (practical)	--	--	19,380 ft ² /hr
Noise Level	--	--	75 dBA
Battery	--	--	24 V
Weight*	61.7/64 lbs (28/29 kg)	72/77 lbs (33/35 kg)	247 lbs (112 kg)
Dimensions (LxWxH)	(25" x 20" x 11.8" / 29.5" x 20" x 11.8" / 31.8" x 20" x 11.8" (640 x 520 x 280 / 750 x 520 x 280 / 810 x 520 280 mm)	(25" x 19.2" x 11.8" / 30" x 19.8" x 11.8" / 31.8" x 19.2" x 11.8" (640 x 490 x 280 / 745 x 505 x 280 / 810 x 490 x 280 mm)	49.5" x 26" x 46.5" (1255 x 660 x 1180 mm)

*Excludes batteries and solution.

*Base model machine, no squeegee or batteries. Choose from 6 scrub deck options! Squeegee and batteries are optional.

B 90 R: Ride instead of push

The new B 90 R range of ride-on scrubber driers features an innovative interchangeable brush head that makes it possible to retrofit a different type of brush head to better suit another application. End users can now ensure they have the right machine for their floor types, without needing to purchase more than one machine - saving costs and valuable storage space.



Equipment: with/without detergent metering, display setting options, or basic



With efficient battery and built-in charger



Choose one of three working widths



Straight or curved suction bars are available to fit your tastes and floor conditions



**Brush Heads
R 65 / R 75**

- Two counter-rotating roller brushes
- Scrubbing and sweeping in one go
- High scrubbing power
- Easy brush replacement



**Brush Heads
D 65 / D 75**

- Two disc brushes
- Integral splash guard
- Easy brush replacement



B 90 R Adv Bp

- Simple operation
- Large 24 gallon tanks
- Automatic braking
- Dual cylindrical brushes w/ pre-sweep
- Automatic solution stop

TECHNICAL DATA

Order Number*	2.763-004.0 / 006.0	2.763-003.0 / 005.0	1.161-308.0
Working Width, Brush	26"/30" (650/750 mm)	26"/30" (650 mm/750mm)	26" (650 mm)
Working Width, Vacuum	--	--	37" (940 mm)
Solution/Recovery Tanks	--	--	24 gallon (90 L)
Brush Speed	600-1,300 rpm	180 rpm	625 / 980 / 1550 rpm
Drive	--	--	600 W
Climbing Ability	--	--	18%
Performance (max)	--	--	42,000 ft ² /hr
Performance (practical)	--	--	29,400 ft ² /hr
Noise Level	--	--	75 dBA
Battery	--	--	24 V
Weight*	61.7/64 lbs (28/29 kg)	72/77 lbs (33/35 kg)	330 lbs. (150 kg)
Dimensions (LxWxH)	29.5" x 20" x 11.8" / 31.8" x 20" x 11.8" (750 x 520 x 280 / 810 x 520 280 mm)	30" x 19.8" x 11.8" / 31.8" x 19.2" x 11.8" (745 x 505 x 280 mm / 810 x 490 x 280 mm)	57" x 32" x 47" (1450 x 800 x 1200 mm)

*Excludes batteries and solution.

*Base model machine, no squeegee or batteries. Choose from 6 scrub deck options! Squeegee and batteries are optional.

Kärcher floor machines and burnisher provide versatility, heavy cleaning and deep shine

Kärcher's line of commercial-duty floor machines are built to endure the rigorous demand of commercial cleaning with rugged construction and durable, time-tested components. Utilizing cast aluminum housings rather than poly or stamped frames, the BDS and BDP machines are available in 175 and 1,500 RPM models for burnishing and buffing and come with 5" non-marking caster wheels for easy transport around the work site.



High mounted handle lock for easy height adjustments



Large 1.5 hp motor provides greater power. Enclosed motor provides protection against debris resulting in low maintenance



BDS 43/175 C

- 66 frame, AC motor*
- Dual capacitors for high efficiency operation*
- Rugged cast aluminum base full protective bumper*



BDS 51/175 C

- All-steel Triple Planetary gear transmission
- Sure grip handle height adjustment
- Durable cast aluminum switch housing



BDP 51/1500 C

- 20" burnishing path
- Low profile design
- Adjustable handle
- Flexible pad driver
- Quiet V-Belt Drive


* Applies to both BDS 43/175 C and BDS51/175 C

TECHNICAL DATA

Order Number	9.840-469.0	9.840-471.0	9.840-470.0
Pad Speed	175 rpm	175 rpm	1,500 rpm
Pad Diameter	17" (430 mm)	20" (510 mm)	20" (510 mm)
Pad Drive Diameter	16" (410 mm) Rigid	19" (480 mm) Rigid	19" (480 mm) Rigid
Optional Brushes	Nylon, Polypropylene, Mild or aggressive grit	Nylon, Polypropylene, Mild or aggressive grit	--
Motor	1.5 hp single speed, 175 rpm	1.5 hp single speed, 175 rpm	1.75 hp (1,305 watt), DC, enclosed PM motor
Construction	Die cast aluminum motor base and handle housing	Die cast aluminum motor base and handle housing	Die cast aluminum motor base and handle housing
Handle Tube	1.5" (4 cm) cold rolled steel and non-marking PVC grips	1.5" (4 cm) cold rolled steel and non-marking PVC grips	1.5" (4 cm) cold rolled steel and non-marking PVC grips
High Mounted Handle Lock / Height Adjustment	included	included	included
Heavy Duty Construction, Non-Marking PVC Bumper	included	included	included
Dual Main Switch Levers	included	included	included
Thumb Activated Safety Interlock	included	included	included
Wheels	Two, 5" (127 mm) x 1.25" (30 mm) non-marking	Two, 5" (127 mm) x 1.25" (30 mm) non-marking	Four, 5" (127 mm) x 1.25" (30 mm) non-marking
Electric Rating	115 V, 60 Hz	115 V, 60 Hz	115 V, 60 Hz

Powerful. Light. Compact. Versatile.

The Puzzi 8/1 C Spotter/Extractor is powerful, light, compact and versatile. Ideal for spot cleaning and extraction of carpets, upholstered furniture and the interiors of vehicles the Puzzi 8/1 C weighs in at only 19 pounds! Additionally, the Puzzi 8/1 C's 1,100 watt motor provides superior solution recovery when compared to competitive models while the innovative design provides on-board tool and cord storage for ease of storage and transportation



Perfect for auto-detailing



Easy to fill - get started in seconds



Convenient on/off foot switch eliminates bending



Integral fold-out hook keeps power cord neatly stowed on the machine



Puzzi 8/1 C

- Transparent dome lid for easy-to-verify operation
- Large foot switch
- 1,100 Watt motor minimizes residual moisture left after cleaning
- Crush resistant suction hose

TECHNICAL DATA

Order Number	1.100-211.0
Vacuum Motor	(Maximum Power) 1.5 hp (1,100 watts)
Air Flow Rating	115 CFM (54 l/s)
Waterlift Rating	87" waterlift (216 mbar)
Spray Rate	.264 GPM (1 l/min)
Spray Pressure	44 psi (1 bar)
Tank (Fresh/Dirt)	2/1.8 gal (8/7 l)
Power Rating (Fan/Pump)	1,100 W fan / 40 W pump
Moisture Recovery Rate	Up to 96%*
Weight	19.8 lbs (9.0 kg)
Noise	71 dBA
Dimensions (L x W x H)	20.8" x 13" x 17.3" (55 x 33 x 44 cm)

* Varies depending on carpet fiber type or material being cleaned.

Productive. Portable.

The Puzzi 13 & 17 gallon portable carpet extractors are powerful and versatile. Their large transport wheels and compact size make it easy to move around your facility or transport from job site to job site. Their adjustable 0-200 psi and 0-500 psi spray pressure provide the versatility to clean delicate upholstery and the power to clean the dirtiest carpet. Models available with 1850 watt internal water heater for additional cleaning power. Puzzi Extractors are now available with a newly designed lightweight, ergonomic Kurve™ wand.



On-board carrying system provides storage for your wand, cord, bucket and a quart of pre-spray



Convenient located easy-access control panel



Handle with upper rear casters assist in loading and unloading



Puzzi 50/35 C

- 13 gallon
- 500 psi



Puzzi 50/14 E

- 13 gallon
- 200 psi
- 1850W heater



Puzzi 64/35 E

- 17 gallon
- 500 psi
- 1850W heater

TECHNICAL DATA

Order Number	1.006-672.0	1.006-673.0	1.006-674.0
Vacuum Motor	One, Three Stage	Two, Two Stage	Two, Two Stage
Water Lift	107" (2718 mm)	74" (1180 mm)	74" (1180 mm)
Air Flow	73 CFM (2.06 m ³ /min)	111 CFM (3.14 m ³ /min)	111 CFM (3.14 m ³ /min)
Solution Pump	500 psi	200 psi	500 psi
Pressure Gauge	Yes	Yes	Yes
Heater	N/A	1850 W	1850 W
Solution Capacity	13 Gallons	13 Gallons	17 Gallons
Recovery Capacity	11 Gallons	11 Gallons	14 Gallons
Electrical System	120 V, 15 amp	2 x 120 V, 15 amp	2 x 120 V, 15 amp
Power Cable	1 Cord	2 Cords	2 Cords
Wheels	2 x 4" (102 mm) 2 x 12" (305 mm) 2 x 3" (76 mm)	2 x 4" (102 mm) 2 x 12" (305 mm) 2 x 3" (76 mm)	2 x 4" (102 mm) 2 x 12" (305 mm) 2 x 3" (76 mm)
Construction	Rotationally Molded Polyethylene Tanks	Rotationally Molded Polyethylene Tanks	Rotationally Molded Polyethylene Tanks
Hose	Optional	Optional	Optional
Wand	Optional	Optional	Optional
Dimensions (L x W x H)	30.5" x 22" x 43.25" (775 x 559 x 1098 mm)	30.5" x 22" x 43.25" (775 x 559 x 1098 mm)	32.5" x 22.5" x 43" (825.5 x 571.5 x 1092 mm)
Weight	115 lbs (52.2 kg)	134 lbs (60.8 kg)	139 lbs (63 kg)
ETL Approved	Yes	No	No

Deep, restorative extraction

Kärcher's line of self-contained extractors offer superior cleaning performance and innovative technology in durable, easy-to-use designs. Economic yet highly productive, these self contained extractors provide unmatched value for carpet extraction. Each ergonomically designed BRC unit features simplified controls to help ensure professional results during every use. Additionally each BRC unit can be combined with optional accessories for spot, stair and furniture cleaning.



Recovery tank lifts off for easy dumping



Handle folds neatly for storage



Designed for easy maintenance and servicing to increase the life of your equipment investment



All-in-one controls and ergonomically designed handle simplifies use and increases operator comfort



BRC 30/15 C

- Brush assist drive system
- Floating brush deck
- Adapts for accessory
- Recovery tank lifts off for easy dumping
- On-board holder for spotter/pre-spray bottle



BRC 46/38 C

- No-hose design makes it easy to fill and empty
- Easily adjusted brush setting
- Quick connect ports for easily attached tools



BRC 46/76 W

- Self-propelled design for operator productivity
- Low profile and compact design for exceptional maneuverability
- 20 gallon capacity

TECHNICAL DATA

Order Number	1.008-052.0	1.008-051.0	1.008-649.0
Vacuum Motor	1.5 hp	3 stage, bypass, 1.5 hp	3 stage, bypass, 1.5 hp
Air Flow Rate	100 cfm	100 cfm	100 cfm
Waterlift Rate	100" waterlift	120" waterlift	120" waterlift
Solution Pump	58 psi (3.5 bar)	100 psi (6.4 bar)	100 psi (6.4 bar)
Solution Spray	1 quick-connect jet	2 quick-connect jets	2 quick-change jets
Working Width, Brush	10.5" (270 mm)	15" (460 mm)	18" (460 mm)
Working Width, Vacuum	12.5" (315 mm)	17" (560 mm)	20" (560 mm)
Solution/Recovery Tanks	4/4.5 gal (15/15 l)	10/10 gal (37 l)	20/20 gal (75/75 l)
Noise Level	73.7 dBA	75 dBA	69 dBA
Brush Motor	80 W	1/3 hp, AC with circuit breaker protection	1/3 hp (250 W)
Weight*	79 lbs (26 kg)	120 lbs (55 kg)	217 lbs (98 kg)
Dimensions (L x W x H)	36.3" x 14" x 30" (920 x 360 x 750 mm)	35" x 17.5" x 47" (889 x 445 x 1194 mm)	49" x 22" x 41" (1240 x 560 x 1040 mm)

*Excludes solution.

Effective and fast

The Kärcher EB 30/1 cordless electric sweeper is a commercial-duty battery-operated electric broom designed for daily use in any professional facility where quick, efficient interim cleaning is necessary to clean up spills without disturbing employees or customers and is ideal for use when using a canister and upright vacuum isn't practical. Far more durable than typical consumer-style electric brooms, the ergonomically designed EB 30/1 features a run-time of up to 45 minutes and a large capacity dustpan for collecting dirt.



Equipped with a powerful, quick-change rechargeable battery, the EB 30/1 can be used anywhere since it requires no power outlet



The EB 30/1 has a large-capacity dustpan for coarse and fine dirt and is easily removed for emptying



This unit's universal joint can be easily locked or unlocked as required



The quick-charging unit completely charges batteries within 50 minutes



EB 30/1

- 12" (300 mm) sweeping path
- 67 in.³ (1 ltr) capacity
- 30/45 minute soft floor/hard floor run times
- Whisper quiet
- Cordless design reduces risk of trips and falls

TECHNICAL DATA

Order Number	1.545-104.0
Drive	Manual
Sweeping Path	12" (300 mm)
Dustpan Capacity	67 in ³ (1 l)
Noise Level	56 dBA
Battery Run Time (Carpet / Floor)	30 min / 45 min
Standard Battery Charge Time	12 hr
High Speed Battery Charger Charge Time	50 min
Weight	5 lbs. (2.3 kg)
Dimensions (LxWxH)	57" x 31.4" x 47.2" (1447 x 798 x 1199 mm)

Lightweight and simple - for quick cleanups

Kärcher's KM 70/20 and KM70/30 C Adv are ideal for sweeping small indoor and outdoor areas, all the way to the corners. Constructed of durable, corrosion-free, impact resistant polycarbonate, they are time-tested for years of use. These units offer outstanding sweeping performance by utilizing windmill suction to pull in fine dust and then exhaust the contaminated air through a synthetic filter to trap the particulates and improve air quality. Additionally, they are ideal for facilities maintenance. When used consistently, they improve the exterior appearance of a building and reduce the amount of vacuuming and floor scrubbing necessary to maintain its interior.



The KM 70/20 features an ergonomically designed, adjustable handle for fatigue-free operator comfort



The KM 70/20 conveniently folds for easy storage



Active dust control with unique filter cleaning system on KM 70/30 and KM 75/40



EASY™ (Ergonomic Application System) Operation - Simple controls for operating the unit with easy-to-understand graphics on KM 70/30 and KM 75/40



KM 70/20

- 28" (710 mm) cleaning path
- Direct throw sweeping
- Limited slip differential drive system
- Easy adjusting roller brush
- Adjustable side broom



KM 70/30 C Adv

- 28" (710 mm) cleaning path
- Vacuum Dust Control
- Electrically powered brushes
- Height-adjustable roller brush
- 1.7 ft³ (42 ltr) capacity

TECHNICAL DATA

Order Number	1.517-101.0	1.507-208.0
Drive	Manual	12 V/150 W
Sweeping Path	28" (700 mm)	28" (700 mm)
Sweeping Method	Direct throw	Direct throw
Dustpan Capacity	11 gal (42 l)	11 gal (42 l)
Productivity (max theoretical)	30,000 ft ² /hr	30,100 ft ² /hr (2800 m ² /hr)
Noise Level	--	59 dBA
Filter Area	--	945 in ² (.61 m ²) - pleated automotive style
Power Source	--	12 V / 26 AH battery
Battery Charger	--	On-board (standard)
Weight	50.7 lbs. (23 kg)	105 lbs. (48 kg) w/o batteries
Dimensions (LxWxH)	51.2" x 30.14" x 40.7" (1300 x 765 x 1035 mm)	48.8" x 28" x 45.2" (1240 x 710 x 1150 mm)

Effective and Fast

Kärcher's KM 75/40 W Bp and KM 90/60 R Bp are the pinnacle of commercial-duty sweepers. Each unit comes standard with maintenance-free AGM batteries. The KM 75/40 W BP is self-propelled, traveling up to 2.8 MPH, and can climb an incline of up to 12%. The standard filter system is 99.5% efficient preventing fine dust particles from re-entering the environment utilizing a large suction fan and synthetic pleated filter. The KM 90/60 R Bp is the comfortable alternative to a walk behind machine, providing ease-of-use features such as an adjustable seat, large wheels and power steering. Two sweeping containers have a joint capacity of 13 gallons for longer periods of uninterrupted operation.



Provides for collection of large debris with the squeeze of the handle-mounted lever so the operator never needs to stop sweeping to pick up larger items by hand



Main broom can be accessed and changed without tools



The two drawer-type sweeping containers have large joint capacity of 13 gallons and are easy to empty even when filled to capacity



No tools needed to change the filter and brush



KM 75/40 W Bp

- 30" sweeping path with side broom
- Self-propelled with 400 watt drive motor
- 1.5 ft³ (40 ltr) hopper capacity



KM 90/60 R Bp

- 36" (900 mm) cleaning path
- Large 13.6 gallon waste container
- Automatic filter cleaning system
- Pneumatic control of primary roller brush and side brush

TECHNICAL DATA

Order Number	9.840-739.0	9.840-855.0
Drive	DC motor; .5 hp / 400w	DC motor; .5 hp / 600w
Sweeping Path	30" (750 mm)	36" (900 mm)
Sweeping Method	Overthrow	Overthrow
Dustpan Capacity	10.5 gal (40 l)	13.6 gal (60 l)
Productivity (max theoretical)	36,328 ft ² /hr (3375 m ² /hr)	68,889 ft ² /hr (6400 m ² /hr)
Noise Level	64 dBA	69 dBA
Filter Area	2,790 in ² (1.8 m ²) - flat, pleated with manual shaker	6,200 in ² (4 m ²)
Power Source	2x 12 V 70 AH AGM batteries	24 V / 600 W, 2x 12V 198 AH AGM batteries
Battery Charger	Standard	Standard
Weight	172 lbs. (78 kg) w/o batteries	441 lbs. (200 kg) w/o batteries
Dimensions (LxWxH)	56" x 30" x 46.5" (1430 x 780 x 1180 mm)	64.3" x 38.6" x 49.6" (1635 x 980 x 1260 mm)

Daily maintenance cleaning

Designed specifically to meet the needs of contract cleaners, Kärcher's canister and backpack vacuums are durable, portable and powerful. They feature lightweight, ergonomic designs with crush-resistant hoses, making it easy to thoroughly clean all those difficult to reach areas. The T 12/1 canister vacuum features a fleece filter bag, allowing for up to 3-times more useful filter bag volume when compared to paper filter bags, resulting in less operator maintenance and superior performance. It can also be enhanced with HEPA filtration and numerous accessories for a customizable cleaning system. The BV 11/1 features a lightweight and comfortable harness design, engineered to provide fatigue-free cleaning for the operator. With padded hip and shoulder straps it is adjustable to fit virtually any size operator.



Large permanent main filter, made of washable nylon, guarantees optimal dust filtration and enables the vacuum to be operated with or without a filter bag



Large, robust foot-operated switch turns the machine on and off without having to stoop for greater operator comfort



Tools stow conveniently on the harness for easy accessibility



Padded hip and shoulder harness increases comfort



T 12/1

- 3 gallon tank
- 4 stage filtration, 99% at 0.3 microns
- Designed for easy mobility to the job
- 10" (254 mm) cleaning path



BV 11/1

- 10 quart capacity
- Ergonomically designed harness system
- 6-piece tool kit included
- Molded polyethylene housing

TECHNICAL DATA


Order Number	1.355-105.0	9.840-514.0
Vacuum Motor	(Maximum Power) 1.7hp (1,300 watts)	1.6 hp (1295 watts), flow through design, with internal thermal protection
Air Flow Rating	130 CFM (61 l/s)	112 CFM
Waterlift Rating	98" waterlift	104" waterlift
Container Capacity	3 gal (12 l)	2.5 gallon (10 qt) - filter bag
Filtration	99% at 0.3 microns	4 stage
Noise Level	61 dBA	67 dBA
Power Cord Length	40' (12 m)	50' (15.2m)
Hose Length & Dia.	8.2 Ft. x 1.25" (2.5 m x 32 mm)	5' x 1.5" (1.5 m x 38 mm)
Dust Bag	2-ply paper filter bag	paper filter bag
Cleaning Path	10" (254 mm)	--
Weight	14.5 lbs (6.6 kg)	11 lbs. (5 kg)
Standard Tools	8.2" (2.5 m) suction hose with bend, 11.2" (285 m) floor tool with charge over, 2 x 19.7" (.5 m) black metal suction tubes, washable nylon filter	5' (1.5 m)suction hose, Wand, floor, upholstery, dusting and crevice tools included. Variety of optional tools available
Dimensions (L x W x H)	16.1"x12.4"x13.3" (410 x 315 x 340 mm)	23.7" x 8.8" (602 x 215 mm)

Dual motors provide superior cleaning

Kärcher’s CV family of dual-motor upright vacuums are ergonomically designed to be simultaneously powerful, lightweight and easy to maneuver. Our 1,000 watt vacuum motors pick up more dirt in a single pass than their comparable single-motor counterparts, while our patented filtration system filters out particulates and allergens down to 0.3 microns. The CV family of commercial upright vacuums provide the power you need to clean in one of the lightest designs available on the market today.



Flip top access for easy bag change.



Simple, quick brush removal, no tools required.



CV 300

- Powerful dual motor upright vacuum
- Innovative, articulating head for superior maneuverability
- Ergonomic carrying handle for easy transport



CV 380

- Powerful dual motor upright vacuum
- Patented filtration system – large surface area, high efficiency to 0.3 microns

TECHNICAL DATA

Order Number	1.012-059.0	1.012-060.0
Vacuum Motor	High performance, single stage, 1.4 hp (1000 watts), 92" water lift, 102 cfm airflow	High performance, single stage, 1.4 hp (1000 watts), 92" water lift, 102 cfm airflow
Housing	Injection molded, high impact ABS and PP plastic	Injection molded, high impact ABS and PP plastic
Brush Drive	Non-slip toothed belt, enclosed, electronic safety clutch and speed control	Non-slip toothed belt, enclosed, electronic safety clutch and speed control
Brush Motor	.24 hp (175 watts)	.24 hp (175 watts)
Brush Speed	5,400 brush contacts per minute, 2700 rpm	5,400 brush contacts per minute, 2700 rpm
Dust Bag	Triple layer bag, 3.5 liter, top-loading	Triple layer bag, 3.5 liter, top-loading
Sound Level	69.5 dBA	70.0 dBA
Wheels	2" diameter, rubberized	2" diameter, rubberized
Cable	40', 18/3 SJT	40', 18/3 SJT
Electrical	120v, 60 hz	120v, 60 hz
Dimensions (L x W x H)	12" x 10" x 48"	15" x 10" x 48"
Handle Weight	2.6 lbs	2.6 lbs
Weight (with cable)	17 lbs	17 lbs
Shipping Weight	19.6 lbs	20 lbs

Large scale vacuum power

Kärcher's CV 71/2 wide area vacuum is a dual-motor, low-profile design that incorporates on-board tools for fast, efficient cleaning of large carpeted areas such as hallways, convention and expo centers, hotel meeting rooms, schools and municipal buildings. The 6-position adjustable brush head allows the operator to clean virtually any floor or carpet type with just a single pass, while a built-in suspension system ensures consistent brush contact with the floor.



Convenient foot lever allows for six brush height adjustments.



Tools conveniently stow on-board vacuum



CV 71/2

- Enclosed bag-in-bag design for four-stage filtration system for improved indoor air quality
- Six brush height adjustments to maximize cleaning performance
- Built-in brush suspension system that ensures consistent brush contact

TECHNICAL DATA

Order Number	1.012-564.0
Construction	Rotationally molded polyethylene, heavy gauge steel frame; Stainless steel housing
Brushes	28" (710 mm) wide nylon brush, 6 position adjustable
Brush Motor	1/4 Horsepower (186 watts)
Vacuum Motor	2 x 1.1 Horsepower (2 x 802 watts)
Airflow Rate	224 cfm airflow (105 ltrs/sec)
Water Life Rate	63" (160 cm)
Filter Bags	Enclosed, top fill, disposable paper bag and reusable cloth bag; 1 bushel (2150 inch ³ , 35 ltr) capacity; Optional HEPA filters available, which filters 99.97% at 0.3 micron
Wheels (Front)	Two, 1.6" (4.5 cm) non-marking swivel casters
Wheels (Rear)	Two, 10" (250 mm) non-marking wheels
Power Cord	75' (23 m) 14/3 SJTW
Electric Rating	115V, 60 Hz, 13 amps (230V, 50 Hz also available)
Weight	95 lbs. (43 kg) with 75' cable
Dimensions (LxWxH)	59" x 31" x 18" (150 x 79 x 46 cm)

Dependable, trouble-free operation

Kärcher's family of wet/dry vacuums provide dependable trouble-free operation, utilizing features unlike any other commercial wet/dry vacuum available on the market today. Kärcher's patented TACT (Trigger Air draft Cleaning Technology) and PFC (Power Filter Clean) filter systems allow for continuous fine and coarse dust retrieval without the need to shut the unit down for filter cleaning. Kärcher's NT vacuums provide continuous suction power throughout the entire job; additionally Kärcher's NT vacuums do not require additional filters or inserts when switching from wet to dry work.* Once the canister has reached its full capacity an electronic tank level monitor shuts the vacuum motor off.

**The NT 48/1 features a cylindrical dust filter without TACT; it requires wet filter bags for water pick-up.*



Liquid in the container can be emptied into a gutter or drain using the easily accessible drain hose



Large rear wheels and front swivel casters provide easy maneuverability



Crush-resistant hose stows conveniently on top for storage



Self-cleaning filter



NT 35/1 Tact

- No filters to install or remove
- Electronic tank level monitor
- Self cleaning filter



NT 45/1 Tact

- No filters to install or remove
- Electronic tank level monitor
- Self cleaning filter



NT 65/2 Eco

- No filters to install or remove
- Electronic tank level monitor
- Power filter clean



NT 48/1

- Optional wet filter bags for water pick-up
- Electronic tank level monitor
- Drain hose

TECHNICAL DATA

Order Number	1.184-804.0	1.145-804.0	1.325-105.0	1.428-605.0
Vacuum Motor(s)/AMPS	1,265 watt (max.) / 8 AMPS	1,265 watt (max.) / 8 AMPS	1,265 watt (max.) / 18 AMPS	1,200 watt (max.) / 10 AMPS
Air Flow Rating	120 cfm	120 cfm	229 cfm	141 cfm
Water Lift Rating	88"	88"	94"	80"
Container Capacity	9.2 gallons (35 l)	11.9 gallons (45 l)	17.2 gallons (65 l)	12.6 gallons (48 l)
Filtration System	TACT	TACT	Power Filter Clean	Traditional Cylindrical
Noise Level	64 dBA	64 dBA	74 dBA	66 dBA
Power Cord Length	25 ft	25 ft	33 ft	25 ft
Hose Length & Dia.	8' X 35mm	8' X 35mm	12' X 35mm	8' X 35mm
Dust Bag	2-ply paper bag	2-ply paper bag	2-ply paper bag	Paper Filter Bag
Weight	25.3 lbs.	27.5 lbs.	41.9 lbs	22 lbs.
Standard Tools	Metal Wand, Floor Tool, Crevice Tool, Washable Nylon Filter	Metal Wand, Floor Tool, Crevice Tool, Washable Nylon Filter	Metal Wand, Floor Tool, Crevice Tool, Washable Nylon Filter	Metal Wand, Floor Tool, Crevice Tool, Cylindrical Dust Filter
Dimensions	20.4" X 15" X 22.8" (815 X 381 X 579 mm)	20.4" X 15" X 27" (815 X 381 X 695 mm)	23.6" X 18.9" X 36.2" (600 X 480 X 920 mm)	19" X 15.4" X 30.3" (485 X 390 X 770 mm)

A craftsman's best friend

The NT 14/1 Eco Advance is much more than just another vacuum cleaner. It is the vacuum cleaner of craftsmen – developed in close cooperation with professionals from various fields. That is why it features all of the capabilities for making the craftsman's job easier. Numerous intelligently detailed solutions to make the job of a craftsman easier. This is the NT 14/1 Eco Advance: unbelievably compact and very clever.



Flat-top design

No more kneeling. The NT 14/1's flat top is perfect for transporting a tool box or sitting.



Refined combination

The suction unit can be separated and removed from the base with one hand. And re-connected just as easily.



The right kind of wheels

Extra large rubber wheels make the NT 14/1 a real mobile "vehicle" that can also effortlessly handle stairs.



Fold-up handle

No bending over, no dragging. The practical handle makes the NT 14/1 a cart for convenient transport to the location where it is to be used.



NT 14/1 Eco Advance

- Fold-up handle
- Semi-automatic filter cleaning
- One-click separation of base unit

TECHNICAL DATA

Order Number	1.510-114.0
Air flow	129 cfm / 61 l/s
Vacuum	88.6" / 21 kpa
Container contents dry	3.7 gal / 14 l
Max. take-up capacity	1380 watts
Connectors	35 mm
Cable length	24 ft
Sound pressure level	68 dB(A)
Weight (incl. accessories)	33 lbs
Dimensions (LxWxH)	21.5" x 18.5" x 16.5"

Equipment

Suction hose with elbow	■
Suction tube, metal 3 x .033 m	■
Filter bag	Paper
Wet and dry floor nozzle	■
Crevice nozzle	■
Flat pleated filter	Paper

■ Included in delivery.

Specialty machines - Air blower and steam cleaner

Kärcher specialty machines offer innovative technology, superior cleaning performance and greater productivity. The DE 4002 steamer cleans and sanitizes without chemicals; removing rust, scale and dirt from most surfaces. It's excellent for removing adhesive tape from glass, decals from student lockers. The AB 84 CUL air blower is perfect for flood restoration projects; its carpet clip holds the carpet up in order to dry from the bottom up.



The AB 84 CUL push handle folds down so the air blower can be easily transported



Easy to maneuver up and down stairs



Optional transport cart available for the DE 4002 steam cleaner



DE 4002 is available with a wide variety of attachments for multiple applications



AB 84 CUL

- 3-speed fan
- 300 cfm maximum air movement reduces drying time by up to 50%
- Sturdy four-point motor mount
- Built-in carpet clip for use with flood restoration
- 3 standing positions
- Foldable handle

TECHNICAL DATA

Order Number	1.004-018.0
Electrical Motor	1/2 HP continuous duty, capacitor start, thermal protected, 4 point mounted
Air Flow Rate	(Setting 1/2/3) 56/70/84
Fan Speed Settings	(Setting 1/2/3) 1,050/1,350/1,600 rpm
Power Cord Length	25 ft. (7.62 m)
Motor Rating	Max 700 W
Weight	39 lbs (17.6 kg)
Dimensions (L x W x H)	22.8" x 16" x 10.4" (580 x 410 x 264 mm)
Handle Weight	2.6 lbs



DE 4002

- Filter Funnel
- Two tank system with transfer pump for continuous use
- Short heat times
- Optional Transport Cart

TECHNICAL DATA

Order Number	1.092-801.0
Voltage	110 Volts
Steam Pressure	46.4 psi (3.2 bar)
Steam Temperature	248° F
Water Reservoir	.63 gal (2.4 l)
Steam Chamber Reservoir	.63 gal (2.4 l)
Weight	17 lbs (7.5 kg)
Dimensions (L x W x H)	18" x 12" x 10.4" (456 x 305 x 264 mm)

Next generation AGM Batteries

The greener, maintenance-free choice

- 100% maintenance-free. No need to check or refill water.
- Greener and safer.
- Eliminates hydrogen sulfide off-gassing during charging.
- Eliminates acid spills and corrosion.
- Reduces cost over the life of the battery.
- Longer battery life.
- Run times are equal to or longer than others.
- Made from up to 80% recycled material, 97% recyclable.
- Does not require a ventilated storage room.




Next generation AGM provides longer battery life

Battery longevity is typically measured by how many charging cycles they can accept. (A cycle is one discharging and recharging of a battery.) "Opportunity charging" is recharging a battery before it is fully discharged. Any time you recharge a flooded lead acid battery, regardless of whether you have discharged 25% or 100% of the available charge, it counts as a cycle.

With AGM, there is very little penalty in battery life for opportunity charging, so you get longer life from your batteries.

Charge cycle comparison




FACT
Flexible Application Control Technology

Flexible Application Control Technology (FACT)

Innovation in roller brush technology: The roller brush speed adjusts to suit the cleaning task.

- **Power clean:** Powerful cleaning action. Removes stubborn dirt and stains containing grease. Also suitable for stripping.
- **Whisper clean:** Reduces noise level. Suitable for normal soiling. Also reduces current consumption over long periods of operation.
- **Fine clean:** Tested for optimized removal of film from the fine stoneware tiles which are now used increasingly in supermarkets and shopping malls.



EASY Operation

- A simple operating principle for automatic sweepers & scrubbers.
- Applies to other machines: once the principle is understood, all other scrubbers can be operated without additional training.
- Easy to learn because symbols are self-explanatory.
- Increased machine running times because operating errors are avoided.
- Machine's total service life is increased.
- Greater efficiency due to cleaning programs that are designed for specific applications.

Disclaimer: Contents of this catalog are confidential and reflect a proposed selection. Specifications subject to change. Not intended for circulation.

Everything by Kärcher – everything fits

Only with the right accessories and the matching cleaning agents can Kärcher scrubber driers reveal their true abilities. Kärcher original accessories, cleaning and care products are designed to cover the versatile range of cleaning tasks throughout day-to-day operations. Matched specifically to their machines ensuring perfect cleaning and cost efficiency.



Brush colors

The color-coding of the disc brushes and roller brushes makes it easier to find the brush or disc with the desired properties (white = soft, black = hard).

1 Order a sample disk brush under
Order no. 6.906-933.0

2 Order a sample roller brush under
Order no. 4.762-429.0

3 For resilient floors

Constant improvement of the roller brush technology resulted in a novel product, the roller pad. It is ideal for easy cleaning, stripping and polishing of a variety of floor coverings. Pads are available in different degrees of hardness.

4 New suction bar technology

Suction bars have been further optimized for improved pick-up. Thanks to favorable flow conditions inside the suction bar, the air flow speed is increased to ensure an optimum vacuum over its whole length. This means very good solution recovery on all scrubber driers, from compact walk-behinds to big ride-ons.

5 The outstanding features of the new microfiber roller brush
The microfiber roller brush has a high cleaning power, consumes less detergent, is intended specifically for cleaning fine stoneware, and is washable.

6 Kärcher cleaning agents - *NEW IN 2010!*

Effective against dirt but still environmentally friendly. All cleaning agents are more than 92% biodegradable. They are highly efficient and help make your work easier, faster, and more comfortable. Kärcher cleaning agents optimize the cleaning result saving time and manpower.

The right accessory for every floor type

	Roller brush technology BR			Disc brush technology BD		
	Brush	Pad	Microfiber roller brush	Brush	Pad	Microfiber pad
Deep cleaning						
Linoleum	■	■		■	■	
PVC, vinyl, synthetic resin coatings	■ ■	■		■	■	
Dark marble, granite, smooth ground terrazzo	■	■		■	■	
Light-coloured/white marble	■			■		
Granite, porphyry, stone carpet – structured	■					
Tiles, glazed brick	■ ■	■		■	■	
Fine stoneware	■ ■	■		■	■	
Studded rubber	■					
Carpet	■			■		
Maintenance cleaning						
Linoleum	■	■	■	■	■	□
PVC, vinyl, synthetic resin coatings	■	■	■	■	■	□
Marble, granite, smooth ground terrazzo	■	■	■	■	■	□
Granite, porphyry, stone carpet – structured	■					
Tiles, glazed brick	■	■	■	■	■	□
Fine stoneware	■	■	■	■	■	□
Studded rubber	■					
Polishing						
Linoleum	□	■		□ ■	■ ■	
PVC, vinyl, synthetic resin coatings	□	■		□ ■	■ ■	
Marble, granite, smooth ground terrazzo	□	■		□ ■	□ ■ ■	
Granite, porphyry, stone carpet – structured						
Sealed parquet	□	■		□	■ ■	
Studded rubber	□			□		
Terracotta	□			■		
Interim cleaning						
Carpet						□
Crystallising						
Marble, terrazzo and other lime-based floor coverings	■ ■				■ ■	
Pad and brush colours						

□	white
■	beige
■	natural
■	yellow
■	blue
■	green
■	red
■	silver
■	black
□	blue / white (microfibre)
■	bronze
■	orange

Accessories for single disc and polishing machines



High-quality Kärcher accessories feature long service lives and simple handling that lead to excellent results in daily use of the single disc machine.



Order No.	Hardness/ Brush type	Diameter	Description	BDS 43/175 C	BDS 51/175 C	BDS 51/175/300 C	BDP 51/175 C	BDP 51/1500 C	BDP 51/2000 C
Disc Brushes									
1	8.600-014.0	soft	17 in	Brush, 17" (432 mm) Nylon Polishing with Clutch Plate	<input type="checkbox"/>				
2	8.628-380.0	medium	17 in	Brush, 17" (432 mm) Nylon Scrub with Clutch Plate	<input type="checkbox"/>				
3	8.600-013.0	hard	17 in	Brush, 17" (432 mm) Mild Grit with Clutch Plate	<input type="checkbox"/>				
4	8.628-371.0	-	17 in	Brush, 17" (432 mm) Aggressive Grit with Clutch Plate	<input type="checkbox"/>				
5	8.600-011.0	soft	17 in	Brush, 17" (432 mm) Polypro with Clutch Plate	<input type="checkbox"/>				
6	8.625-258.0	medium	17 in	Sanding Disc, 17" (432 mm)	<input type="checkbox"/>				
7	8.628-379.0	hard	20 in	Brush, 20" (508 mm) Nylon Polishing with Clutch Plate	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
8	8.628-377.0	-	20 in	Brush, 20" (508 mm) Nylon Scrub with Clutch Plate	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
9	8.628-378.0	-	20 in	Brush, 20" (508 mm) Mild Grit with Clutch Plate	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
10	8.628-369.0	-	20 in	Brush, 20" (508 mm) Aggressive Grit with Clutch Plate	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
11	8.628-370.0	-	20 in	Brush, 20" (508 mm) Polypro with Clutch Plate	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
12	8.628-388.0	-	20 in	Brush, 20" (508 mm) Nylon carpet shampoo with Clutch Plate	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
13	8.625-259.0	-	20 in	Sanding Disc, 20" (508 mm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Pad Drivers									
14	8.600-012.0	-	17 in	Pad Driver, BDS 43/175 C (17"/432 mm Machines)	<input checked="" type="checkbox"/>				
15	8.628-430.0	-	20 in	Pad Driver, BDS 51/175 C (20"/508 mm Machines)		<input checked="" type="checkbox"/>			
16	8.628-429.0	-	20 in	Pad Driver, BDP 51/175 C (20"/508 mm Machines)			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
17	8.622-248.0	-	20 in	Pad Driver, BDP 51/1500 C (20"/508 mm Machines)					<input checked="" type="checkbox"/>
18	8.622-247.0	-	20 in	Pad Driver, BDP 51/2000 C (20"/508 mm Machines)					<input checked="" type="checkbox"/>
19	8.600-507.0	-	-	Center Lock	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
20	8.624-674.0	-	-	Center Lock (Blue)					<input checked="" type="checkbox"/>
Solution Tanks									
21	8.600-062.0	-	-	4 Gallon (15 liter) Solution Tank	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

Included in delivery. Option



White brush
Polyamide, soft – for sensitive floors and polishing.



Red brush
Polypropylene, medium – for maintenance cleaning, suitable for most floors.



Orange brush
Polypropylene, medium, with bristles of varying lengths – for structured floors.



Green or black brush
Polypropylene with abrasive – for deep cleaning.

	Order No.	Hardness/ Brush type	Length	Color	Qty	Description	BR 30/4 C	BR 40/10 C	BRS 40/1000 C	BR Vario	BR 530 C	BR 45/40 C/W	BR 55/40 C/W	B 80 W	B 90 R	
Roller brushes for BR																
	Roller brushes for BR 30/4 C							<input type="checkbox"/>								
	1	4.762-452.0	soft	12 in	white	1		<input checked="" type="checkbox"/>								
	2	4.762-428.0	medium	12 in	red	1		<input type="checkbox"/>								
	3	4.762-484.0	high/low	12 in	orange	1		<input type="checkbox"/>								
	NEW! 4	4.762-499.0	carpet	12 in	blue	1	Requires (2) 5.033-275.0	<input type="checkbox"/>								
Roller brushes for BR ¹⁾																
	5	4.762-250.0	soft	16 in	white	1		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
	6	4.762-274.0	soft	16 in	natural	1		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
	7	4.762-458.0	medium	16 in	red	1		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
	8	4.762-251.0	high/low	16 in	orange	1		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
	9	4.762-252.0	hard	16 in	green	1		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
	NEW! 10	4.762-254.0	carpet	16 in	blue	1	Requires (2) 4.777-417.0	<input type="checkbox"/>	<input type="checkbox"/>							
	11	4.762-405.0	soft	18 in	white	1						<input type="checkbox"/>				
	12	4.762-392.0	medium	18 in	red	1						<input checked="" type="checkbox"/>				
	13	4.762-406.0	high/low	18 in	orange	1						<input type="checkbox"/>				
	14	4.762-407.0	hard	18 in	green	1						<input type="checkbox"/>				
	15	4.762-408.0	very hard	18 in	black	1						<input type="checkbox"/>				
	16	4.762-409.0	soft	22 in	white	1						<input type="checkbox"/>				
	17	4.762-393.0	medium	22 in	red	1						<input checked="" type="checkbox"/>				
	18	4.762-410.0	high/low	22 in	orange	1						<input type="checkbox"/>				
	19	4.762-411.0	hard	22 in	green	1						<input type="checkbox"/>				
	20	4.762-412.0	very hard	22 in	black	1						<input type="checkbox"/>				
	21	5.762-172.0	soft	18 in	white	1										
	22	5.762-169.0	medium	18 in	red	1					<input checked="" type="checkbox"/>					
	23	5.762-170.0	high/low	18 in	orange	1					<input type="checkbox"/>					
	24	5.762-171.0	hard	18 in	green	1					<input type="checkbox"/>					
	25	6.906-981.0	soft	25 in	white	1	fits R 65							<input type="checkbox"/>	<input type="checkbox"/>	
	26	6.906-935.0	medium	25 in	red	1	standard with R 65							<input type="checkbox"/>	<input type="checkbox"/>	
	27	6.906-982.0	high/low	25 in	orange	1	fits R 65							<input type="checkbox"/>	<input type="checkbox"/>	
	28	6.906-983.0	hard	25 in	green	1	fits R 65							<input type="checkbox"/>	<input type="checkbox"/>	
	29	6.906-984.0	very hard	25 in	black	1	fits R 65							<input type="checkbox"/>	<input type="checkbox"/>	
	30	6.906-977.0	soft	21 in	white	1	fits R 55							<input type="checkbox"/>		
	31	6.906-934.0	medium	21 in	red	1	standard with R 55							<input type="checkbox"/>		
	32	6.906-978.0	high/low	21 in	orange	1	fits R 55							<input type="checkbox"/>		
	33	6.906-979.0	hard	21 in	green	1	fits R 55							<input type="checkbox"/>		
	34	6.906-980.0	very hard	21 in	black	1	fits R 55							<input type="checkbox"/>		
	35	6.906-985.0	soft	28 in	white	1	fits R 75							<input type="checkbox"/>	<input type="checkbox"/>	
	36	6.906-936.0	medium	28 in	red	1	standard with R 75							<input type="checkbox"/>	<input type="checkbox"/>	
	37	6.906-986.0	high/low	28 in	orange	1	fits R 75							<input type="checkbox"/>	<input type="checkbox"/>	
	38	6.906-987.0	hard	28 in	green	1	fits R 75							<input type="checkbox"/>	<input type="checkbox"/>	
	39	6.906-988.0	very hard	28 in	black	1	fits R 75							<input type="checkbox"/>	<input type="checkbox"/>	

■ Included in delivery. □ Option ¹⁾ Machine requires 2 pcs

The color-coding of the brush rollers makes it easier to find the corresponding brushes with the desired properties (white = soft, black = hard).



Accessories for scrubber driers



Roller pads combine high friction and high contact pressure for excellent cleaning results.

	Order No.	Hardness/ Brush type	Length diameter	Color	Qty	Description	BR 30/4 C	BR 40/10 C	BRS 40/1000 C	BR Vario	BR 530	BR 45/40 C/W	BR 55/40 C/W	B 80 W	B 90 R
Roller pads / roller pad shaft															
	Roller pad shaft ¹⁾														
	1	4.762-228.0	-	16"	-	1	400 mm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
	2	4.762-184.0	-	18"	-	1									
	3	4.762-413.0	-	18"	-	1									
	4	4.762-332.0	-	21"	-	1									
	5	4.762-432.0	-	21"	-	1	fits R 55								<input type="checkbox"/>
	6	4.762-415.0	-	22"	-	1									
	7	4.762-433.0	-	25"	-	1	fits R 65								<input type="checkbox"/>
	8	4.762-434.0	-	28"	-	1	fits R 75								<input type="checkbox"/>
	9	4.762-189.0	-	32"	-	1									
	Roller pads, premounted on sleeves														
	10	6.369-724.0	soft	16 ³ / ₄ "	yellow	1		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
	11	6.369-726.0	medium	16 ³ / ₄ "	red	1		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
	12	6.369-725.0	hard	16 ³ / ₄ "	green	1		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
	13	6.369-731.0	very soft	18"	white	1				<input type="checkbox"/>					
	14	6.369-727.0	very soft		white	1	for polishing	<input type="checkbox"/>	<input type="checkbox"/>						
	15	6.369-728.0	soft	18"	yellow	1				<input type="checkbox"/>					
	16	6.369-730.0	medium	18"	red	1				<input type="checkbox"/>					
	17	6.369-729.0	hard	18"	green	1				<input type="checkbox"/>					
	18	6.369-732.0	soft	21 ¹ / ₄ "	yellow	1									<input type="checkbox"/>
	19	6.369-734.0	medium	21 ¹ / ₄ "	red	1									<input type="checkbox"/>
	20	6.369-733.0	hard	21 ¹ / ₄ "	green	1									<input type="checkbox"/>
	21	6.367-105.0	soft	18 ³ / ₄ "	yellow	1									<input type="checkbox"/>
	22	6.367-107.0	medium	18 ³ / ₄ "	red	1									<input type="checkbox"/>
	23	6.367-106.0	hard	18 ³ / ₄ "	green	1									<input type="checkbox"/>
	Roller pads														
	24	6.369-454.0	soft	4"	yellow	20									<input type="checkbox"/> <input type="checkbox"/>
	25	6.369-455.0	hard	4"	green	20									<input type="checkbox"/> <input type="checkbox"/>
	26	6.369-456.0	medium	4"	red	20									<input type="checkbox"/> <input type="checkbox"/>
	27	6.371-076.0	medium	5"	red	20									<input type="checkbox"/> <input type="checkbox"/>
	28	6.371-077.0	hard	5"	green	20									<input type="checkbox"/> <input type="checkbox"/>
	Microfiber roller														
	29	4.762-453.0	-	12"	light green	1	Complete	<input type="checkbox"/>							
	Microfiber roller ¹⁾														
	30	4.114-003.0	-	16"	light green	1	Only in connection with pad roller shaft 4.762-228.0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
	31	4.114-004.0		16"		1	Complete	<input type="checkbox"/>							
	32	4.114-009.0		18"		1	Complete								<input type="checkbox"/>
	33	4.114-010.0		22"		1	Complete								<input type="checkbox"/>
	34	4.114-005.0		22"		1	For R 55 Brush Head								<input type="checkbox"/> <input type="checkbox"/>
	35	4.114-006.0		26"		1	For R 65 Brush Head								<input type="checkbox"/> <input type="checkbox"/>
	36	4.114-007.0		30"		1	For R 75 Brush Head								<input type="checkbox"/> <input type="checkbox"/>
	37	4.114-008.0		32"		1	For R 90 Brush Head								<input type="checkbox"/>
	Carpet Cleaning Kit NEW!														
	38	4.762-499.0		12"	Blue	1	Carpet Brush	<input type="checkbox"/>							
	39	5.033-275.0	¹⁾			1	Suction Bar, Carpet Cleaning	<input type="checkbox"/>							
	NEW! 40	4.762-254.0	¹⁾	16"	Blue	1	Carpet Brush	<input type="checkbox"/>							
	41	4.777-417.0	¹⁾			1	Suction Bar, Carpet Cleaning	<input type="checkbox"/>							

■ Included in delivery. □ Option ¹⁾ Machine requires 2 pcs. ²⁾ Machine requires (65) 2 x 48 pcs., (75) 2 x 53 pcs. ³⁾ Machine requires (55) 2 x 40 pcs.

Accessories for scrubber driers



The color-coding of the disc brushes make it easier to find the corresponding brushes with the desired properties (white = soft, black = hard).

	Order No.	Hardness/ Brush type	Diameter	Color	Qty	Description	BD 530	BD 55/40 C/W	B 60 W	B 90 R	
Disc Brushes for BD											
  	Disc Brushes for BD	1	6.906-056.0	soft	18"	natural	1	<input type="checkbox"/>			
	2	6.906-552.0	very soft	18"	white	1					
	3	6.906-054.0	medium	18"	red	1		<input checked="" type="checkbox"/>			
	4	6.906-055.0	hard	18"	black	1		<input type="checkbox"/>			
	5	4.905-008.0	very soft	22"	white	1		<input type="checkbox"/>			
	6	4.905-007.0	soft	22"	natural	1		<input type="checkbox"/>			
	7	4.905-002.0	medium	22"	red	1			<input checked="" type="checkbox"/>		
	8	4.905-009.0	hard	22"	black	1			<input type="checkbox"/>		
	9	6.906-655.0	very soft	12"	white	1					
	10	6.906-565.0	soft	12"	natural	1					
	11	6.906-563.0	medium	12"	red	1					
	12	6.906-564.0	hard	12"	black	1					
	13	4.905-011.0	very soft	14"	white	1	fits D 65			<input type="checkbox"/>	<input type="checkbox"/>
	14	4.905-012.0	soft	14"	natural	1	fits D 65			<input type="checkbox"/>	<input type="checkbox"/>
	15	4.905-010.0	medium	14"	red	1	standard with D 65			<input type="checkbox"/>	<input type="checkbox"/>
	16	4.905-013.0	hard	14"	black	1	fits D 65			<input type="checkbox"/>	<input type="checkbox"/>
	17	4.905-015.0	very soft	12"	white	1	fits D 55				<input type="checkbox"/>
	18	4.905-016.0	soft	12"	natural	1	fits D 55				<input type="checkbox"/>
	19	4.905-014.0	medium	12"	red	1	standard with D 55				<input type="checkbox"/>
	20	4.905-017.0	hard	12"	black	1	fits D 55				<input type="checkbox"/>
	21	4.905-019.0	very soft	15"	white	1	fits D 75				<input type="checkbox"/>
	22	4.905-020.0	soft	15"	natural	1	fits D 75				<input type="checkbox"/>
	23	4.905-018.0	medium	15"	red	1	standard with D 75				<input type="checkbox"/>
	24	4.905-021.0	hard	15"	black	1	fits D 75				<input type="checkbox"/>

■ Included in delivery. □ Option

Accessories for scrubber driers



Pads have also proven successful on scrubber driers. Their assignment to a specific area of application is indicated by the pad color. Microfibre pads are particularly suitable for cleaning fine stoneware.

	Order No.	Hardness/ Brush type	Diameter	Color	Qty	Description	BD 45/40 C/W	BD 530	BD 55/40 C/W	B 80 W	B 90 R
Disc Pads / Pad Driver Boards											
	1	4.762-414.0	-	18"	-	1	<input type="checkbox"/>				
Pad drive board	2	6.906-332.0	-	18"	-	1		<input type="checkbox"/>			
Pads	3	6.369-024.0	soft	18"	red	5	<input type="checkbox"/>	<input type="checkbox"/>			
	4	6.369-023.0	medium	18"	green	5	<input type="checkbox"/>	<input type="checkbox"/>			
	5	6.369-022.0	hard	18"	black	5	<input type="checkbox"/>	<input type="checkbox"/>			
	6	6.369-960.0	microfibre	18"	white	5	<input type="checkbox"/>				
Pad drive board	7	4.762-416.0	-	22"	-	-			<input type="checkbox"/>		
Pads	8	6.369-017.0	soft	21"	red	5			<input type="checkbox"/>		
	9	6.369-016.0	medium	21"	green	5			<input type="checkbox"/>		
	10	6.369-015.0	hard	21"	black	5			<input type="checkbox"/>		
	11	6.369-961.0	microfibre	21"	white	5			<input type="checkbox"/>		
Pad drive board	12	4.762-445.0	-	11"	-	1 fits D 55					<input type="checkbox"/>
Pads	13	6.906-566.0	-	11"	-	1					<input type="checkbox"/>
	14	6.371-153.0	soft	11"	red	5					<input type="checkbox"/>
	15	6.371-154.0	medium	11"	green	5					<input type="checkbox"/>
	16	6.371-155.0	hard	11"	black	5					<input type="checkbox"/>
Pad drive board	17	4.762-446.0	-	13"	-	1 fits D 65				<input type="checkbox"/>	<input type="checkbox"/>
Pads	18	6.369-003.0	soft	14"	red	5				<input type="checkbox"/>	<input type="checkbox"/>
	19	6.369-002.0	medium	14"	green	5				<input type="checkbox"/>	<input type="checkbox"/>
	20	6.369-001.0	hard	14"	black	5				<input type="checkbox"/>	<input type="checkbox"/>
	21	6.369-959.0	microfibre	14"	white	5				<input type="checkbox"/>	<input type="checkbox"/>
Pad drive board	22	6.906-964.0	-	15"	-	1					
	23	6.906-493.0	-	15"	-	-					
	24	4.762-447.0	-	15"	-	1 fits D 75					<input type="checkbox"/>
Pads	25	6.369-791.0	soft	15"	red	5					<input type="checkbox"/>
	26	6.369-790.0	medium	15"	green	5					<input type="checkbox"/>
	27	6.369-789.0	hard	15"	black	5					<input type="checkbox"/>
	28	6.371-078.0	microfibre	15"	white	5					<input type="checkbox"/>
Pad drive board	29	6.906-334.0	-	20"	-	1					
Pads	30	6.369-079.0	soft	19"	red	5					
	31	6.369-078.0	medium	19"	green	5					
	32	6.369-077.0	hard	19"	black	5					

■ Included in delivery. □ Option

Accessories for scrubber driers



Cleaning right up to edges is no problem with side brushes. This machine has been designed so the user always maintains an unobstructed view of the area being cleaned.

	Order No.	Length diameter	Color	Qty	Description	BR 30/4 C	BR 40/10 C	BR 530	BD 530	BR 45/40 C/W	BR 55/40 C/W	B 80 W	B 90 R	
Kits														
Filling system kit	1	2.641-748.0	-	-	Time-saving filling operation								<input type="checkbox"/>	
Beacon light kit	2	2.641-718.0	-	-									<input type="checkbox"/>	
Suction bars and squeegees														
	Suction bar, complete	3	4.777-320.0	11.8"	-	-	Straight, standard	<input type="checkbox"/>						
		4	4.777-324.0	11.8"	-	-	Straight, oil resistant	<input type="checkbox"/>						
		5	5.033-275.0	12"	-	2	For use with Carpet Brush 4.762-499.0	<input type="checkbox"/>						
		6	4.777-323.0	17"	-	-	Straight, standard		<input type="checkbox"/>					
		7	4.777-322.0	17"	-	-	Straight, oil-resistant		<input type="checkbox"/>					
		8	4.777-417.0	17"	-	2	For use with Carpet Brush 4.762-254.0	<input type="checkbox"/>						
		9	4.777-300.0	30.3"	-	-	Straight, without reverse rolls							
		10	4.777-306.0	33.5"	-	-	Straight, without rolls			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		11	4.777-054.0	32.3"	-	-	Curved, standard			<input type="checkbox"/>	<input type="checkbox"/>			
		12	4.777-316.0	33.5"	-	-	Curved, without rolls				<input type="checkbox"/>	<input type="checkbox"/>		
		13	4.777-311.0	33.5"	-	-	Curved						<input type="checkbox"/>	
		14	4.777-301.0	33.5"	-	-	Straight						<input type="checkbox"/>	
		15	4.777-302.0	37"	-	-	Straight						<input type="checkbox"/>	
		16	4.777-312.0	37"	-	-	Curved						<input type="checkbox"/>	
	Squeegees for suction bars		17	6.273-213.0	34.2"	blue	2	Standard, blue			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			18	6.273-207.0	34.2"	brown	2	Oil resistant, brown			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		19	6.273-229.0	34.2"	brown	2	Non-streak, oil resistant, brown			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		20	6.273-214.0	37.8"	blue	2	Standard, blue						<input type="checkbox"/>	
		21	6.273-208.0	37.8"	brown	2	Brown, oil resistant						<input type="checkbox"/>	
		22	6.273-205.0	37.8"	brown	2	Brown, non-streak, oil resistant						<input type="checkbox"/>	
Other Accessories for BR / BD														
Filling hose	23	6.389-524.0	5 ft.	-	1	Simplifies filling of tank				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Additional weight kit	24	5.031-498.0	-	-	1	Ensures that squeegee glides optimally							<input type="checkbox"/>	
Soundproofing kit	25	2.640-920.0	-	-	1	Reduces noise level by 3 dB(A)								
	26	2.640-883.0	-	-	-	Reduces noise level by 3 dB(A)							<input type="checkbox"/>	
Spray-suction kit	27	2.640-430.0	-	-	1	Facilitates the cleaning of spaces that are difficult to reach such as corners, edges, or between objects								
Sweeping unit kit	28	2.641-299.0	-	-	1	Usually, there is not need for cumbersome pre-sweeping					<input type="checkbox"/>			
	29	2.641-298.0	-	-	1	Scrubbing and sweeping in one go.				<input checked="" type="checkbox"/>				
Suction kit for crystallisation	30	2.640-451.0	-	-	1	Greatly reduces the dust created during crystallisation								
Expansion set gym, DIN 18032	31	4.744-162.0	-	-	1	Reduces pressure on floor to = 0.5 N/mm². Machine requires 2 pcs							<input type="checkbox"/>	
Suction hose accessories	32	4.444-015.0	10.6 ft.	-	1	For taking in water from corners or containers (e.g. deep freezers)				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

■ Included in delivery. □ Option

Accessories for steam cleaners / spray-extraction cleaners



The new height-adjustable loop handle is ergonomically designed for cleaning large areas with less effort.

	Order No.	Qty	ID	Length / width	Description	Puzzi 8/1 C	Puzzi 100 Super	Puzzi 200	DE 4002
Steam cleaners									
	1	4.321-114.0	-	-	-				■
	2	4.130-143.0	-	-	-				■
	3	4.130-144.0	-	-	-				■
					For cleaning shower cubicles, wall tiles and much more. Can be used with or without cover.				
	4	5.130-246.0	-	-	-				■
	5	2.884-282.0	-	-	-				■
	6	2.863-077.0	-	-	-				□
					2 x red, 1 x black brush.				
	7	2.863-075.0	-	-	-				□
	8	2.863-076.0	-	-	-				□
	9	6.960-019.0	5	-	-				□
					2 floor cloths, 3 terry cloths for hand tool.				
	10	6.962-239.0	-	-	-				□
Spray extraction cleaners									
	11	6.391-410.0	1	32 mm	8.2 ft.	Spray-extraction hose, complete with solid plastic coupling	■		
	12	6.391-411.0	-	32 mm	13 ft.	Spray-extraction hose, complete with robust quick-action plastic coupling	□	□	□
	13	4.440-645.0	-	38 mm	26.2 ft.	Complete, metal coupling			
	14	2.638-778.0	-	-	-	With 2 m hose, connects to spray-extraction hose of Puzzi 8/1 C, Puzzi 100 and Puzzi 200	□	□	□
	15	4.130-127.0	-	32 mm	9"	Two-part, solid plastic coupling, aluminium tube	□	■	□
	16	4.130-394.0	-	32 mm	9"	Two-part, quick-action plastic coupling, aluminium tube, metal nozzle	□	□	■
	17	4.130-128.0	-	32 mm	9"	Two-part, solid plastic coupling, short aluminium tube	□	□	□
	18	4.130-117.0	-	32 mm	13"	Two-part, quick-action coupling, metal wet floor tool with spray nozzles	□	□	□
	19	4.130-116.0	-	32 mm	4.3"		■	■	□
	20	4.130-083.0	-	32 mm	5"	For cleaning vertical louvre blinds, with plastic coupling	□	□	□
	21	4.762-219.0	-	-	4.3"	For hand tool 4.130-116	□	□	□
	22	4.762-220.0	-	32 mm	9"	For floor tool 4.130-127 and 4.130-394	□	□	□
	23	6.903-935.0	1	-	8.7"	Standard bristles for PW 10			□
	24	6.903-544.0	1	-	13.6"	Standard bristles for PW 20			□
	25	6.959-116.0	1	-	9"	For hard-surface adapter, floor tool 4.762-220		□	□
	26	6.959-283.0	1	-	4.3"	For hard-surface adapter, hand tool 4.762-219		□	□

■ Comes Standard □ Optional Accessory



The hand tool for all Puzzi machines works brilliantly for the fibre-deep cleaning of upholstery.



Glass surfaces are cleaned without streaks with the KÄRCHER window cleaning kit.



Tiled or PVC flooring can be cleaned thoroughly with the hard surface adapter.

Cleaning agents for spray-extraction cleaners

Product description	Application	Properties	Size of pack	Order no. / Quantity
Cleaning agents for spray-extracting and shampooing carpets				
 <p>press & ex powder RM 760 Popular deep cleaning powder for spray extraction of textile surfaces and upholstery.</p>	<p>For use with spray-extraction cleaners Dissolve powder in fresh water tank (1% solution, 100 g in 10 litres water), spray on and vacuum in a single pass, then rinse with clear water and vacuum away.</p>	<p>Mildly alkaline pH value: 9 in 1% solution</p>	10 kg	6.291-388.0
 <p>press & ex tablets RM 760 Tablets in a practical foil that dissolves in water and supports cleaning, for deep cleaning of textile surfaces and upholstery.</p>	<p>For use with spray-extraction cleaners Dissolve two tablets in fresh water tank (8 litres), spray on and vacuum in a single pass, then rinse with clear water and vacuum away.</p>	<p>Neutral pH value: 6 in 1% solution</p>	16 Tabs, VE: 20 200 Tabs	6.290-828.0 6.290-500.0
Cleaning agents for carpets				
 <p>All-In-One Carpet Cleaner Provides everything you need in one convenient formula - carpet cleaner, spot remover, and deodorizer all in one detergent.</p>	<p>Use on residential and commercial carpet, indoor-outdoor carpet, automobile, RV and boat carpet, auto upholstery and durable synthetic upholstery.</p>		12-1 Quart Case 4-1 Gallon Case	8.698-014.0 8.698-015.0
Cleaning Agents for floors				
 <p>Floor Scrubber The professional's choice for the best in superior hard-surface cleaning performance. Its heavy-duty formula removes the toughest oily and greasy soils, while it's mild pH is safe for most hard surfaces leaving a pleasantly light and clean fragrance. Ideal for cleaning floors, walls, appliances, countertops, sinks, automotive, driveways, garages, and other hard surfaces.</p>	<p>Use for cleaning floors, walls, appliances, countertops, sinks, automotive, driveways, garages, and other hard surfaces. Not recommended for use on wood, aluminum, most carpets, fabrics or other delicate surfaces. Use with caution on painted surfaces, plastics and on "no-wax" resilient floors.</p>		4-1 Gallon Case	8.698-016.0



RM 760 powder and RM 760 tablets advantages:

High cleaning power through deep cleaning action; extremely gentle on carpet fibres; pleasant smell; exact dosing through tablet form.

Accessories for carpet extraction cleaners



Kärcher's carpet extraction cleaner accessories allow you to customize your machine to fit your cleaning needs. Check out Kärcher's accessory offerings; including brushes, wands, hand tools, hose assemblies, and more.

	Order No.	Qty	ID	Length /width	Description	BRC 30/15 CUL	BRC 38/30 CUL	BRC 46/38 C	BRC 46/76	Puzzi 50/35 C	Puzzi 50/14 E	Puzzi 64/35 E
Carpet cleaning machines												
Brushes	1	8.621-604.0	1	-	10" Brush, Chevron, 10" (254 mm)	■						
	2	8.623-062.0	1	-	15" Brush, Chevron, 15" (380 mm) (Does not include brush driver)		■					
	3	8.623-063.0	1	-	18" Brush, Chevron, 18" (455 mm) (Does not include brush driver)			■				
	4	8.600-112.0	1	-	18" Brush, 18" (455 mm) (Does not include brush driver)				■			
Power Cords	5	8.621-714.0	1		25' Power cord assembly	■						
	6	8.623-411.0	1		50' Twist-lock power cord		■	■				
	7	8.623-409.0	1		75' Twist-lock power cord				■			
Tools, Accessories and Kits	8	8.626-069.0			Fill Hose with Faucet Adapter		□	□	□			
	9	8.600-075.0			Tool Adapter	□				□	□	□
	10	8.608-908.0			Vacuum Accessory Tool Hook-Up Adapter				□			
	11	8.621-879.0			Hand tool (Spotter) with 1/8" Female QD (Includes Hose Assembly)	□						
	12	8.629-036.0			Deluxe Hand Tool Kit (Includes Hose Assembly and Carry Bag)	□						
	13	8.600-002.0			3.5" Spotting Hand Tool - Up to 250 PSI without hose		□	□	□	□		
	14	8.600-001.0			Deluxe Hand Tool Kit with 12 ft. hose and carrying bag. Requires 8.600-075.0 Adapter		□	□	□			
	15	8.604-115.0			Dual Head, Dual Vacuum Upholstery Tool		□	□				
	16	8.600-000.0			DOUBLE DRY™ Hand Tool - Up to 400 PSI	□	□	□	□	□		
	17	9.840-617.0			DOUBLE DRY™ Hand Tool Kit (Includes 8.600-000.0 with 12 ft (3.7m) vac/solution hose and carrying bag. (BRC 30/15 Requires Adapter 8.600-075.0)	□	□	□	□	□		
	18	8.602-724.0			DOUBLE DRY Hand Tool Adapter - Connects 8.600-000.0 directly to Extractor. Fits 1/4" hose to 1/4" hose	□	□	□	□	□	□	□
	19	9.840-628.0			SPOTTING WAND KIT with 12 ft. (4m) Vacuum/Solution Hose (8.600-414.0) and carrying bag (8.600-175.0)		□	□	□	□	□	□
	20	8.600-175.0			Nylon Mesh Hose Carrying Bag	□	□	□	□	□	□	□
	21	9.840-637.0			Complete Hose & Wand Kit. 500 PSI Professional Wand (8.600-060.0) & 25' 500 PSI Hose Set & Bag (8.624-189.0)					□	□	□
	Wands	22	8.634-234.0			Kurve™ 13" Spray Extraction Wand		□	□	□	□	□
23		8.600-061.0			STANDARD 12" (305MM) Stainless Steel Wand Up to 100 PSI without hose		□	□	□			
24		8.600-060.0		63"	DELUXE PROFESSIONAL WAND 12" (305MM) with s-curved neck. Up to 500 PSI		□	□	□	□	□	□
25		8.600-005.0		56.5"	SPOTTING WAND - Stainless Steel up to 100 PSI, 56.5" (1,423MM) Long		□	□	□			
25		8.604-148.0		59"	14" Flip Tool for Scrubbing Hard Floors and Extracting on Soft Floors		□	□	□			
27		8.604-119.0			FASTRACTION SPRAY WAND - Spray wand with 25 ft (7.6 m) Solution Hose		□	□	□			
28		8.604-118.0			EXTRACTION SPRAY WAND - 18" (457MM) Spray Wand with 4 ft. Solution Hose for Pre-spraying while extracting	□	□	□	□			
Hose Assemblies	29	8.600-414.0		1.5" 12'	12 ft (3.7m) Hose Assembly, 1.5" (38MM) vac X 250 PSI Solution Hose		□	□	□	□		
	30	8.600-415.0		1.5" 16'	16 ft (4.9m) Hose Assembly, 1.5" (38MM) vac X 250 PSI Solution Hose		□	□	□	□		
	31	8.600-416.0		1.5" 25'	25 ft (7.6m) Hose Assembly, 1.5" (38MM) vac X 250 PSI Solution Hose		□	□	□	□		
	32	8.626-077.0		1.5" 16'	16 ft (4.9M) High Temperature Vac/Solution Hose Assembly	□	□	□	□			
	33	8.624-189.0		1.5" 25'	25 ft (7.6m) Hose Assembly, 1.5" (38MM) vac X 500 PSI Solution Hose					□	□	□
Air Filter Kits	34	8.628-585.0			Indoor Air Quality Micro filter Kit		□	□				
	35	8.623-611.0			Micro filter Replacement		□	□				
Heaters	36	8.604-105.0			PRO HEATER™ Portable Heater with 15 fit electrical cord and aluminum core. Connects between extractor and accessory vac/solution hose	□	□	□				
Chemical Sprayers	37	8.604-106.0			PRO SPRAY™ 2.9 gallon (11 ltr.) Portable Sprayer for continual even flow of traffic lane cleaner, soil retardant or anti-static chemicals	□	□	□				
Pilejogger	38	8.604-176.0			PILEJOGGER™ Extraction Tool 1/8 hp Motor Powers 4-row chevron brush for deep soil recovery.	□	□	□				




■ Comes Standard □ Optional Accessory

Accessories – Sweepers and Vacuum Sweepers



Sweepers and vacuum sweepers are used for a wide range of different surfaces and cleaning requirements. Kärcher has designed a wide range of accessories, from roller brooms and filters to mounting kits. This increases the efficiency of machines and expands the potential field of application.



1 More economical and versatile

The extensive range of accessories offered by KÄRCHER further extends the equipment's field of application. Machines equipped with our accessories achieve excellent cleaning results on a wide range of different floors and surfaces both indoors and out.

2 Quick and efficient cleaning of carpets

Dust and rough dirt are removed from carpets in a single working cycle. The set comprises an antistatic primary sweep roller, fluff sieve and 3-joint roll.

3 Roller broom technology

Our standard roller brooms are made of high-quality materials to guarantee a long service life. They are moisture-proof and suitable for all types of surfaces. Other roller brooms designed for special cleaning tasks are available as options. KÄRCHER offers an extensive range of accessory sweeping brooms for different floors and soiling levels.

4 Side brooms to suit every need

In addition to standard side brooms, KÄRCHER offers a number of alternative models. These are perfectly suited to different surfaces and types of sweeping.

5 Use of filters

Sweeping results stand or fall with their fine dust filter. With their built-in cleaning systems and use of washable materials, KÄRCHER offers sophisticated filter systems which are particularly long-lived and cost-effective. Our filters comply with BIA category M.

6 Accessories for special purposes

From purpose-made tires – to suit a given application – to the warning beacon for more safety KÄRCHER offers a broad range of accessories.

Accessories – Sweepers and Vacuum Sweepers



Polyester filters
All vacuum sweepers are equipped with longlife polyester filters which achieve a retention rate of 99.9%.



Soft roller brooms
Designed for optimum results when sweeping fine dust.



Hard roller brooms
Specially for removing stubborn soiling in outdoor areas.

		Order No.	Order No. Pre-Installed*	Length diameter	Description	KM 70/20 C	KM 70/30 C Adv	KM 75/40 Bp/ BP Pack	KM 90/60 R Bp/ Bp Pack
Filters									
	Fleece filter	1	5.731-616.0	-	Synthetic filter, moisture-proof, washable, saves maintenance costs	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		2	5.731-625.0	-	Synthetic filter, moisture-proof, washable, saves maintenance costs	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Round filter	3	6.414-576.0	-	Synthetic filter, moisture-proof, washable, saves maintenance costs	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Flat pleated filter	4	5.731-635.0	-	Synthetic filter, moisture-proof, washable, saves maintenance costs	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
		5	6.904-190.0	-	Synthetic filter, moisture-proof, washable, saves maintenance costs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		6	6.904-367.0	-	Paper filter, BIA-C, dust class M approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Main roller brooms									
	Standard main roller brooms	7	6.906-041.0	18.9"	Moisture-proof universal bristles, longlife, suitable for all surfaces	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		8	6.906-884.0	18.9"	Moisture-proof universal bristles, longlife, suitable for all surfaces	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
		9	4.762-430.0	24.2"	Moisture-proof universal bristles, longlife, suitable for all surfaces	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		10	6.905-982.0	29.5"	Moisture-proof universal bristles, longlife, suitable for all surfaces	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Main roller brooms, soft/natural	11	4.762-442.0	24.2"	Specially designed with natural bristles for sweeping fine dust on smooth floors indoors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		12	6.906-886.0	29.5"	Specially designed with natural bristles for sweeping fine dust on smooth floors indoors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		13	6.906-019.0	29.5"	Specially designed with natural bristles for sweeping fine dust on smooth floors indoors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Main roller broom, soft/moisture-proof	14	6.903-995.0	18.9"	Sweeps fine dust on all surfaces indoors and outdoors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Main roller brooms, hard/moisture-proof	15	6.903-999.0	18.9"	For the removal of stubborn dirt outdoors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		16	6.906-885.0	21.6"	For the removal of stubborn dirt outdoors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
17		4.762-443.0	24.2"	For the removal of stubborn dirt outdoors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Main roller brooms, antistatic	18	6.907-023.0	24.2"	For sweeping surfaces subject to static build up (e.g. carpets, artificial turf)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	19	6.906-950.0	24.2"	For sweeping surfaces subject to static build up (e.g. carpets, artificial turf)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	20	4.762-441.0	24.2"	For sweeping surfaces subject to static build up (e.g. carpets, artificial turf)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	21	2.641-665.0	-	Carpet sweeping kit, consisting of fluff filter and antistatic roller brush	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	22	2.641-571.0	-		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Side brooms									
	Standard side brooms	23	6.966-005.0	13"	Moisture-proof universal bristles, longlife, suitable for all surfaces	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		24	6.905-626.0	18.5"	Moisture-proof universal bristles, longlife, suitable for all surfaces	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	Side broom, hard	25	6.905-625.0	18.5"	Removes stubborn dirt outdoors, moisture-proof, mildly abrasive	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Side broom, left	26	2.641-595.0	2.641-595.7	-	Complete, incl. standard side brush to increase area swept	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting									
	360° warning beacon	27	2.641-650.0	2.641-650.7	For increased safety	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tires, puncture-proof									
	Puncture-proof tires (set), solid rubber, non-marking	28	-	2.641-129.7	Avoid tyre marks on light surfaces	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Puncture-proof tires (rear), solid rubber, non-marking	29	6.435-698.0	-	Avoid tyre marks on light surfaces. Two required	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other mounting kits									
	Litter picker	30	2.640-908.0	-	For picking up garbage	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

■ Included in delivery. □ Option

* Special order, extended delivery times.

The proper accessory kit for each application



Particularly practical: Kärcher accessory kits are designed for specific applications. The kits are equipped with all the necessary equipment needed for a particular application whether it is cleaning central heating boiler or cars.

Equipment	Description	Order no.	Nominal width (DN)	Machines*	Kit component parts	Order no.
Target-group-specific vacuum cleaner accessory kits						
	1 Universal kit for industrial and commercial use	2.637-595.0	35	NT 35/1 Tact	Suction hose, 3 m	4.440-299.0
				NT 45/1 Tact	Suction tube, 2 x 0.5 m, metal	6.900-514.0
					Bend, metal	6.900-519.0
					All-purpose tool	6.900-425.0
					Crevice tool	6.900-385.0
					Upholstery tool	6.900-233.0
					Carpet/hard floor tool	6.900-387.0
					Floor tool for wet pickup	6.903-284.0
	2 Heating boiler	2.638-852.0	35	NT 35/1 Tact	Connecting sleeve	5.407-112.0
					Boiler tool, metal	6.906-662.0
					Wet filter bags (5 pcs.)	6.904-171.0
					Crevice tool, metal	6.900-922.0
					Pipe dusting tool	6.903-106.0
	3 Baking oven kit	2.640-341.0	35	NT 35/1 Tact BS	Suction hose, 2.5 m	4.440-731.0
					Suction tube, 1 x 0.5 m	6.902-124.0
					Suction tube, insulated, 1 x 1.0 m	4.321-161.0
					Baking oven tool	4.130-173.0
	4 Bakery kit (electrically conductive)	2.640-246.0	40	NT 35/1 Tact BS	Suction hose, 4 m	6.906-546.0
					Plastic bend	5.032-427.0
					Suction tube, 2 x 0.5 m, metal	6.900-275.0
					Crevice tool	6.903-033.0
					Floor tool	6.906-554.0
					Car vacuuming tool	6.906-108.0
					All-purpose brush	2.863-147.0
					Suction brush	6.903-862.0
					Reducer	5.407-109.0
	5 Horse kit (electrically conductive)	2.637-248.0	40	NT 35/1 Tact Te	Suction hose, 4 m	4.440-391.0
				NT 45/1 Tact Te	Curry comb	6.903-047.0
					Rubber curry comb	6.903-048.0
					Grooming brush	6.903-046.0
	6 Building kit	2.637-352.0	40	NT 35/1 Tact Te	Suction hose, 4 m	4.440-263.0
				NT 45/1 Tact Te	Suction tube, 2 x 0.5 m, metal	6.900-275.0
				NT 65/2 Eco Tc	Bend, metal	6.900-276.0
					Crevice tool	6.903-033.0
					Floor tool	6.903-018.0
	7 Professional cleaning kit	2.637-353.0	40	NT 45/1 Tact Te/Ec	Suction hose, 4 m	4.440-263.0
				NT 65/2 Eco/Me	2 suction tubes, 0.5 m, metal	6.900-275.0
					Bend, metal	6.900-276.0
					Crevice tool	6.903-033.0
					Floor tool with rollers	6.906-383.0
	8 Accessory kit for use in industrial, electric and sanitary fields	2.639-483.0	35	NT 35/1 Tact/Te	Suction hose, 0.45 m	6.906-213.0
				NT 45/1 Tact/Te	Connector for electric power tools	6.902-095.0
					Stepped sleeve	5.453-037.0
					Cable clips, pack of 5	5.332-440.0



Baking oven set for cleaning baking ovens in bakeries.



Fire department kit for taking in residual water after a flood or water damage.



Chippings and shavings kit, e.g. for cleaning metal- or wood-processing machines.



Car cleaning kit for cleaning motor and commercial vehicles.

Equipment	Description	Order no.	Nominal width (DN)	Machines*	Kit component parts	Order no.	
Target-group-specific vacuum cleaner accessory kits (continued)							
	9	Accessory kit for electric tools (electrically conductive)	2.862-167.0	27	NT 35/1 Tact Te	Suction hose, 3.5 m, DIN 27	4.440-447.0
					NT 45/1 Tact Te	Connector for electric tools	6.902-095.0
						Stepped sleeve	5.453-037.0
						ID27/35 connection sleeve	5.453-044.0
						Cable clips, pack of 5	5.332-440.0
	10	Wet and dry vacuum kit (electrically conductive)	2.638-147.0	40	NT 35/1 Tact Te	Suction hose, 4 m	4.440-391.0
					NT 45/1 Tact Te/Ec	Bend, ID 40, metal	6.900-276.0
					NT 65/2 Eco Me/Tc	Suction tube, 2 x 0.5 m, metal	6.900-275.0
						ID 40 floor tool	6.905-873.0
		ID 40 crevice tool	6.903-033.0				
	11	Car cleaning kit	2.862-166.0	35	NT 35/1 Tact/Te	Car vacuuming tool	6.906-108.0
					NT 45/1 Tact/Te/Ec	ID 35 upholstery tool	6.900-233.0
					NT 65/2 Eco/Me	ID 40/35 reducer	5.407.112.0
						Crevice tool	6.906-240.0
						Suction brush	6.903-862.0
		Suction brush	6.903-862.0				
	12	Industrial kit	2.637-355.0	61	NT 65/2 Eco/Tc/Me	Suction tube, 4 m, oil-resistant	4.440-264.0
						Bend, metal	6.902-011.0
						Suction tube, 2 x 0.5 m, metal	6.902-013.0
						Crevice tool	6.900-926.0
						Surface tool, aluminium	4.130-415.0
						Floor tool, metal	4.130-413.0
	13	Chippings and shavings kit	2.640-760.0	61	NT 65/2 Eco/Tc/Me	Suction hose, 4 m	4.440-613.0
						Crevice tool	6.900-222.0
						Rubber suction tool	6.902-106.0
	14	Attachment set for bus kit	2.640-560.0	40	NT 65/2 Eco	Tubular frame with hose holder	4.050-667.0
						Suction hose, 16 m	4.440-756.0
						Floor tool	6.906-639.0
						Crevice tool	6.906-240.0
						Suction tube, 2 x 0.5 m, metal	6.900-514.0
						Bend, metal	6.900-519.0
						Suction brush	6.900-697.0
						Filter bags, pack of 5	6.904-285.0
						Car vacuuming tool	6.906-108.0
	Reducer	5.407-109.0					

* NOTE: Not all accessories are compatible with all models of vacuums. Model Reference: BS - Bakery Series, Te - Integrated electrical outlet for use with power tools, Tc - Tipping cart (cart has dumping capability), Me - Standard stainless steel container.

Accessories for wet and dry vacuum cleaners



Kärcher machines are designed with large filter bag capacity and compact designs and can be used effectively with low maintenance costs for long periods.



HEPA filters securely retain allergy-triggering particles.

	Order No.	Qty	Description	T 12/1	BV 11/1	CV 300	CV 380	CV 30/1	CV 38/1	CV 71/2	NT 14/1	NT 48/1	NT 95/1 Tact	NT 45/1 Tact	NT 65/2 Eco	
Filter T / NT																
	Paper filter (2 ply)	1	6.904-208.0	5	BIA-C, dust class M approved										■	
		2	6.904-210.0/-224.0	5/300	BIA-C, dust class M approved									■		
		3	6.904-259.0	5	BIA-C, dust class M approved, reinforced outer ply, for cement dust, etc.								□			
		4	6.904-285.0	5	BIA-C, dust class M approved, 3-ply, reinforced outer ply, tear resistant								■			■
		5	6.904-406.0	10	Paper filter bags, 10 pcs., dust class M, packaged							■				
		6	6.904-294.0/-303.0	10/300	Dust class M; large-scale consumer pack				□	□						
		7	6.904-312.0/-318.0	10/200	dust class M	□										
		8	8.619-885.0	10	Filter Bag, BV 11/1		■									
		9	8.633-398.0	10	Filter Bag, CV 300 and CV 380			■	■							
		10	8.600-120.0	10/	Filter Bag, CV 71/2 WAVK						■					
	Fleece filter bags (3 ply)	11	6.904-305.0/-309.0	10/300	Fleece filter bag, 3-ply, tear-resistant, dust class M				■	■						
		12	6.904-315.0/-321.0	10/200	Tear resistant, 3-ply, dust M class,	■										
		13	6.904-407.0	5	Fleece filter bag, 3-ply, tear-resistant, dust class M, for fine dust							□				
		14	6.904-351.0	5	Fleece filter bag, 3-ply, tear-resistant, dust class M / for dry applications									□		
	Special filter bags, wet filter bags	15	6.904-171.0	5	Approved for dust class L, general cleaning, wet and dry, tear-resistant									□		
		16	6.904-211.0	5	Approved for dust class L, general cleaning, wet and dry, tear-resistant									□	□	
		17	6.904-252.0	5	Approved for dust class L, general cleaning, wet and dry, tear-resistant											□
	Fabric filter bag	18	6.904-301.0	1	Cotton, washable (40 °C)				□	□						
		19	8.600-120.0	1	Replacement Cloth Bag)						■					
		20	8.619-884.0	1	Filter Bag, Micro-TEX		■									
		21	6.904-316.0	1	Cotton, washable (40 °C)	□										
		22	6.414-760.0	1	HEPA filter cassette, paper / plastic, (H 12)				□	□						
	HEPA filter for dust class H	23	6.414-801.0	1	HEPA filter cassette, paper / plastic (H 12)	□										
		24	8.623-598.0	1	HEPA Filter, Replacement for 9.840-633.0						□					
		25	9.840-633.0	1	HEPA Filter Kit, CV 71/2 WAVK						□					
		26	6.904-242.0	1	HEPA surface filter, dust class H (H 14)										□	□
					Meets EPA RRA rules											
		27	6.904-364.0	1	HEPA surface filter, dust class H (H 14)											□
				Meets EPA RRA rules												

■ Included in delivery □ Option



Robust metal coarse dirt filters for wet pick-up ensure that large particles of dirt are reliably retained.

				T 12/1	BV 11/1	CV 300	CV 380	CV 30/1	CV 38/1	CV 71/2	NT 14/1	NT 48/1	NT 35/1 Tact	NT 45/1 Tact	NT 65/2 Eco
Filter T / NT	Order No.	Qty	Description												
	1	6.414-772.0	1	Paper								<input type="checkbox"/>			
	2	6.414-789.0	1	Paper, enlarged filter area								<input checked="" type="checkbox"/>			
	3	6.904-367.0	1	Paper, dust class M approved								<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
	4	6.904-283.0	1	Paper, BIA-C dust class M approved, (only NT 65/ 2 Eco/opt. with TC models)											<input checked="" type="checkbox"/>
	5	6.904-156.0	1	Dust class M approved							<input checked="" type="checkbox"/>				
	6	6.904-360.0	1	Polyester fleece material, special coated, rot-proof, BIA-C dust class M approved								<input type="checkbox"/>	<input type="checkbox"/>		
	7	6.906-123.0	1	Polyester fleece, rot-proof, BIA-C dust class M approved							<input type="checkbox"/>				
	8	6.904-287.0	1	Perforated metal plate, recommended for wet applications only								<input type="checkbox"/>	<input type="checkbox"/>		
	9	6.904-282.0	1	Polyester needled fleece, BIA-C approved											<input type="checkbox"/>
	10	6.904-212.0	1	Polyester needled fleece, washable (40 °C)								<input type="checkbox"/>	<input type="checkbox"/>		
	11	6.906-103.0	1	Polyester needled fleece, washable (40 °C)							<input type="checkbox"/>				
	12	5.731-619.0	1	Nylon, washable. up to works number 111520	<input checked="" type="checkbox"/>										
	13	5.731-640.0	-	Nylon, washable until 40 °C	<input checked="" type="checkbox"/>										
	14	6.414-761.0	3	Standard exhaust filter for single motor upright vacuum cleaner				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						
	15	8.602-579.0	1	High-efficiency filter kit (includes 10 bags and 2 motor filters)		<input type="checkbox"/>									
	16	8.619-889.0	1	Filter, air & sound diffusing, BV 11/1	<input checked="" type="checkbox"/>										
	17	8.623-608.0	1	Filter, Exhaust, CV 71/2						<input checked="" type="checkbox"/>					
	18	8.632-214.0	1	Filter, Exhaust, CV 300 and CV 380			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
	19	6.414-802.0	3	Exhaust filter foam	<input checked="" type="checkbox"/>										
	20	8.600-351.0	2	Filter, Motor, CV 71/2						<input checked="" type="checkbox"/>					
	21	8.619-887.0	1	Filter, Dome, BV 11/1	<input checked="" type="checkbox"/>										
	22	8.628-477.0	1	Filter, Motor Protections, CV 300 and CV 380			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
	23	6.900-698.0	10	PE plastic sack											<input type="checkbox"/>
	24	6.596-886.0	10	PE plastic sack								<input type="checkbox"/>	<input type="checkbox"/>		

■ Included in delivery □ Option

Accessories for wet and dry vacuum cleaners



Cleaning efficiency can be further enhanced by using an electrically powered brush. Flattened pile sits up again and restores the carpet's quality appearance.

Order No.	ID	Length / width	Description	T 12/1	BV 11/1	CV 300	CV 380	CV 30/1	CV 38/1	CV 71/2	NT 14/1	NT 48/1	NT 35/1 Tact	NT 45/1 Tact	NT 65/2 Eco
Vacuuming tools															
	Electric brush	1	2.640-875.0	32	11"	ESB 28 with suction hose with integrated electric cable & telescopic suction tube. (only for T 201 and T 12/1)									
	Combi-nozzles (dry)	2	6.906-107.0	32	14.2"	Plastic with brush strips (set no. 6.905-878) and rollers (parquet tool)									
		3	6.906-812.0	32	10"	Plastic soleplate with rollers									
	4	6.906-511.0	35	10.6"	Plastic with stainless steel soleplate, switchable, with IC 35 inside cone										
	5	8.603-302.0	Tool, Quick Sweep												
	6	8.603-312.0	Tool, Spot Lite												
	7	8.628-444.0	Wide Area Nozzle with Bristles (hard surface)												
	8	8.628-445.0	Wide Area Nozzle, Carpet												
	9	6.906-873.0	32	10.6"	Plastic, with stainless steel soleplate and rollers, switchable										
	10	6.906-874.0	35	10.6"	Plastic, with stainless steel soleplate and rollers, switchable										
	11	6.906-696.0	32	11.2"	Plastic, with stainless steel soleplate and rollers, switchable										
	All-purpose nozzles (wet/dry)	12	6.906-512.0	35	11.8"	Plastic with rollers, brush strips, rubber lips (set no. 6.903-277)									
	13	6.906-384.0	35	14.5"	Aluminium with height-adjustable rollers, brush strips, rubber lips (Set no. 6.903-081).										
	14	6.906-513.0	35	14.2"	Plastic with rollers, brush strips (set 6.905-878) and rubber lips (set no. 6.905-877).										
	15	6.903-018.0	40	14.5"	Aluminium with height-adjustable rollers, brush strips, rubber lips.										
	16	6.906-554.0	40	14.2"	Plastic with rollers, brush strips (6.905-878.0), rubber lips (6.905-877.0).										
	17	6.906-383.0	40	17.7"	Aluminium with height-adjustable rollers, brush strips, rubber lips (set no. 6.906-146).										
	18	4.130-413.0	61	19.7"	Aluminium, oil-proof, 500 mm, with height-adjustable rollers, strips and rubber lips; strip set 6.903-067.0; rubber lip set 6.906-168.1"										
		Turbo nozzle	19	2.860-113.0	32	6.3"	Floor tool, plastic with reducer 35/32								
20		2.860-114.0	32	10.6"	Floor nozzle, plastic, with reducing sleeve 35/32										
	Crevice nozzles	21	6.903-403.0	32	8.3"	Plastic, for commercial dry vacuum cleaners									
		22	8.600-016.0	Crevice Tool, CV 71/2											
	23	8.632-245.0	Crevice Tool, CV 300 & CV 380 (requires 8.632-244.0 attachment)												
	24	8.619-876.0	Crevice Tool, BV 11/1												
	25	8.628-451.0	Crevice Tool, BV 11/1												
	26	6.900-385.0	35	8.3"	Plastic										
	27	6.906-240.0	35	10"	Plastic										
	28	6.900-922.0	35	14.5"	Metal										
	29	6.905-817.0	40	15.7"	Metal										
	30	6.903-033.0	40	11.4"	Plastic										
	Car cleaning nozzles	31	6.900-222.0	61	14.5"	Crevice tool, synthetic, 370 mm									
		32	6.900-926.0	61	14.5"	Crevice tool, stainless steel, 400 mm									
	Upholstery nozzles	33	6.906-108.0	35	3.5"	Plastic									
		34	6.900-952.0	40	3.5"	Plastic									
	Radiator brushes	35	6.903-402.0	32	4.7"	Plastic									
		36	8.600-008.0	Upholstery Tool, 5"											
		37	8.614-629.0	Upholstery Nozzle											
		38	8.628-360.0	Upholstery Nozzle, BV 11/1											
		39	6.900-233.0	35	4.7"	Plastic									
	Pipe dusting nozzles	40	6.903-404.0	32	-	Plastic, for crevice nozzle 6.903-403.0									
		41	6.903-034.0	35	-	Plastic, for crevice nozzle 6.900-385.0									
42	6.903-035.0	35	-	Plastic, pipe diameter 100 mm											
43	6.903-036.0	35	-	Plastic, pipe diameter 200 mm											

■ Included in delivery □ Option

Accessories for wet and dry vacuum cleaners



Oil resistant rubber nozzles tackle all kinds of dirt.



The telescopic suction tube can be set individually.

	Order No.	ID	Length / width	Description	T 12/1	BV 11/1	CV 300	CV 380	CV 30/1	CV 38/1	CV 71/2	NT 14/1	NT 48/1	NT 35/1 Tact	NT 45/1 Tact	NT 65/2 Eco	
Vacuuming tools																	
	Rubber suction tools, nose 45°	1	6.902-104.0	35	-												
		2	6.902-105.0	40	-												
		3	6.902-106.0	61	-												
		Rubber tool	4	4.763-057.0	40	-											
		Flat surface tool	5	4.130-415.0	61	7.9"											
		Suction brushes	6	6.903-887.0	32	2.7"											
			7	6.903-862.0	35	2.7"											
		Scratching and scraping nozzle	8	6.903-360.0	61	-											
		Nozzle sets	9	2.860-143.0	32	-											
			10	2.860-116.0	35	-											
		All-purpose brushes	11	6.906-122.0	32	-											
			12	6.903-863.0	35	-											
Suction tubes																	
	Suction tubes	13	6.903-524.0	32	-												
		14	6.906-618.0	32	1.6 ft												
		15	6.902-050.0	32	1.6 ft												
		16	8.600-009.0		20"												
		17	8.609-022.0														
		18	8.628-454.0														
		19	8.628-461.0														
		20	6.900-384.0	35	1.6 ft												
		21	6.902-046.0	35	1.6 ft												
		22	6.902-152.0	35	13 in												
		23	6.900-514.0	35	1.6 ft												
		24	6.906-531.0	40	1 m												
		25	6.902-081.0	40	1.6 ft												
		26	6.900-275.0	40	1.6 ft												
		27	6.902-082.0	61	1.6 ft												
		28	8.604-147.0														
Bends																	
	Bends	29	6.902-009.0	35	-												
		30	6.900-519.0	35	-												
		31	6.900-276.0	40	-												
		32	6.902-011.0	61	-												
		33	8.619-914.0														
		34	8.619-915.0														
		35	8.628-460.0														
		36	9.840-632.0														
		37	6.903-141.0	35	-												
		38	6.902-079.0	40	-												
		39	6.902-080.0	61	-												
		Bend plastic	40	4.408-051.0	C-DN 32	-											
			41	4.408-052.0	C-DN 32	-											
			42	5.031-718.0	C-DN 35	-											
			43	5.031-939.0	C-DN 35	-											
			44	5.031-904.0	C-DN 40	-											
			45	5.032-427.0	C-DN 40	-											
			46	4.440-865.0	32	-											
		47	6.902-021.0	61	-												
		48	5.033-583.0	C-ID 35	-												

■ Included in delivery □ Option



The Y-piece kit makes it possible to connect two suction hoses to one machine. This makes it possible to clean multiple areas at the same time.

	Order No.	ID	Length / width	Description	T 12/1	BV 11/1	CV 300	CV 380	CV 30/1	CV 38/1	CV 71/2	NT 14/1	NT 48/1	NT 35/1 Tact/Te	NT 45/1 Tact/Te	NT 65/2 Eco/Te
Connecting sleeves																
	1	2.860-117.0	-	-	ID 40/35, ID 35/32 (tube -> tool), plastic											
	2	2.637-217.0	-	-	Distributor, plastic											
	3	5.453-016.0	35	-	Plastic, suitable for DN 26-36, EL											
	4	5.453-026.0	35	-	Inner Ø 28.6 mm / outer Ø 37.3/38.8 mm, EL											
	5	6.902-095.0	35	-	Inner Ø 28 mm / outer Ø 34/38.8 mm, EL											
	6	6.902-059.0	35	-	Inner Ø 32 mm / outer Ø 39 mm											
	7	5.453-042.0	35	-	Plastic, adjustable from DN 26-36 (Te / Eco M / H), EL. Only WD vacuum cleaners.											
	8	5.453-048.0	35	-	Inner Ø 25.4 mm / outer Ø 34.6 mm / 38 mm EL. Only WD vacuum cleaners.											
	9	5.453-050.0	35	-	Inner Ø 27 mm / outer Ø 36.5 mm / 38.8 mm EL. Only WD vacuum cleaners.											
	10	6.902-072.0	35/32	-	From ID 35 to 32, metal											
	11	6.902-017.0	40/35	-	From ID 40 to 35, plastic											
		8.619-903.0	-	-	Nut, Bottom Wand (for use with 8.628-666.0)											
		8.619-906.0	-	-	Ring, Bottom Wand (for use with 8.628-666.0)											
	12	6.902-083.0	32/35	-	From ID 32 to 35, plastic											
	13	6.902-084.0	35/40	-	From ID 35 to 40, plastic											
	14	5.453-019.0	40/50	-	From ID 40 to 61, plastic											
	15	5.407-108.0	40/35	-	From C-40 hose to adapter, screwable ID 35											
	16	5.407-113.0	40	-	Reducing sleeve, from C-40 to C-35											
	17	6.902-077.0	32/35	-	For connecting 2 suction hoses (not ESB 28)											
	18	6.900-286.0	40	-	For connecting 2 suction hoses, thread on both sides											
	19	6.902-078.0	61	-	For connecting 2 suction hoses, thread on both sides											
	20	5.407-112.0	35	-	Connects C 35 hose for ID 35 EL accessories											
	21	5.407-111.0	40	-	Connects C 40 hose for ID 40 EL accessories											
	22	5.407-109.0	40	-	Connects C 40 hose for ID 35 EL accessories											
Suction tubes																
	23	4.440-299.0	35	9'6"	Standard											
	24	4.440-287.0	35	13'	Standard											
	25	4.440-264.0	61	13'	Standard											
	26	4.440-467.0	61	33'	Standard											
	27	4.440-616.0	61	13'	Electroconductive											
	28	4.440-617.0	61	33'	Electroconductive											
	29	4.440-613.0	61	13'	Oil-resistant											
	30	4.440-614.0	61	33'	Oil-resistant											
	31	4.440-328.0	61	9'6"	Industrial hose, PVC/elastomer with steel spiral, smooth inside											
	32	4.440-446.0	27	11'6"	Connector for electric tools											
	33	4.440-461.0	27	23'	Connector for electric tool / electrically conductive											
	34	4.440-339.0	35	8'4"	Temperature-resistant to 120 deg C											

■ Included in delivery □ Option

Accessories for wet and dry vacuum cleaners



The versatile BV 11/1 has a variety of accessory kits to customize your backpack vacuum to suit your cleaning needs.

	Order No.	Qty	Length / width	Description	EB 30/1	T 12/1	BV 11/1	CV 300	CV 380	CV 30/1	CV 38/1	CV 72/1	NT 14/1	NT 48/1	NT 35/1 Eco	NT 45/1 Eco	NT 65/2 Eco
Other accessories for T and NT																	
	Roller brushes for upright vacuum cleaners	1	6.906-642.0	1	-	Red (hard), hard bristles (e.g. for needled felt)					<input type="checkbox"/>						
		2	6.906-644.0	1	-	Red (hard), hard bristles (e.g. for needled felt)					<input type="checkbox"/>						
		3	6.906-641.0	1	-	Black (normal), soft bristles					<input checked="" type="checkbox"/>						
		4	6.906-643.0	1	-	Black (normal), soft bristles						<input checked="" type="checkbox"/>					
		5	4.762-401.0	1	-	Red (soft) for hard surfaces	<input type="checkbox"/>										
		6	4.762-400.0	1	-	Black (normal)	<input checked="" type="checkbox"/>										
	Rechargeable batteries + chargers	7	4.654-259.0	1	-	Battery 7.2 V / 1.5 Ah	<input checked="" type="checkbox"/>										
		8	6.646-670.0	1	-	Single quick charger, Supply voltage: 220-240 V / 50 - 60 Hz.	<input type="checkbox"/>										
		9	6.654-197.0	1	-	Quick charger BC 4/3.0 EU	<input type="checkbox"/>										
	Strap	10	6.906-876.0	1	-	Adjustable strap kit for transport. The machine can be carried over the shoulder like a sports bag.											
Extension Cable	11	6.647-022.0	1	20 m	Extension cable							<input type="checkbox"/>					

■ Included in delivery □ Option

	Order No.	Nominal width (DN)	Machines	Kit Component Parts	Order No.	
Accessory Kits for BV 11/1						
Turbolator Air Turbine Tool Kit	1	9.840-611.0	-	BV 11/1	Turbolator Air Turbine Tool Kit for BV 11/1.	8.628-332.0
					Wand for Air Turbine Kit	8.628-463.0
Overhead Cleaning Kit	2	8.604-143.0	-	BV 11/1	Aluminum Wand, Straight	8.628-461.0
					Multi-Purpose Tool, 11"	8.604-140.0
					Dusting Brush	8.600-007.0
					Upholstery Tool, 5"	8.600-008.0
					Upholstery Tool Brush	8.628-360.0
Floor Cleaning Kit	3	8.604-142.0	-	BV 11/1	Wide Area Carpet Nozzle	8.628-445.0
					Bristle Tool	8.628-444.0
					Wand, 2-piece, Double Curve, Steel	8.628-460.0
Standard Tool Kit	4	8.604-141.0	-	BV 11/1	Upholstery Tool Brush	8.628-360.0
					Crevice Nozzle	8.628-451.0
					Dusting Brush	8.600-007.0
					Upholstery Tool	8.600-008.0
					Wand, 20" Extension	8.600-009.0
SpotLite Kit	5	8.604-144.0	-	BV 11/1	SpotLite Nozzle	8.606-312.0
					SpotLite Wand	8.609-022.0
Quick Sweep Tool Kit	6	8.604-145.0	-	BV 11/1	Quick Sweep Tool	8.603-302.0
					SpotLite Wand	8.609-022.0



	Order No.	Qty	Battery Voltage	Battery Capacity (amp hours)	Battery Type / Description	BR 530 Bp	BD 530 Bp	BR 45/40 C Bp	BR 55/40 C Bp	B 80 W	B 90 Adv Bp	KM 75/40 W Bp	KM 90/60 R Bp
Batteries & Chargers													
Battery	1	8.622-835.0	4	6	225	Low-Maintenance							
	2	8.622-839.0	2	12	105	Low Maintenance	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
	3	8.622-843.0	2	12	198	AGM							<input type="checkbox"/>
	4	8.628-341.0	2	12	225	Low-Maintenance						<input type="checkbox"/>	<input type="checkbox"/>
	5	8.629-183.0	2	12	100	AGM	<input type="checkbox"/>	<input type="checkbox"/>					
	6	8.631-173.0	2	12	70	AGM							<input type="checkbox"/>
	7	8.629-184.0	4	12	312	AGM					<input type="checkbox"/>		
	8	8.631-272.0	4	6	260	Low-Maintenance					<input type="checkbox"/>		
	9	8.632-254.0	4	6	255	AGM					<input type="checkbox"/>	<input type="checkbox"/>	
	10	8.632-375.0	2	12	138	AGM			<input type="checkbox"/>	<input type="checkbox"/>			
Charger	11	8.628-403.0	1	24V	-	Separate / Charger, 24V, 12A, 115V, C50 Wet/Get (for use with 8.622-835.0; 8.622-839.0)			<input type="checkbox"/>	<input type="checkbox"/>			
	12	8.628-404.0	1	24V	-	Separate / Charger, 24V, 21A, 115V, SB50R (for use with 8.622-835.0; 8.628-341.0; 8.631-272.0)					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	13	8.629-377.0	1	24V	-	Separate / Charger, 24V, 24A, 115G, AGM (for use with 8.622-843.0; 8.629-183.0; 8.629-184.0; 8.632-254.0)			<input type="checkbox"/>				

■ Included in delivery □ Option

